



Nebr Doc Stamp Tax 04-26-2011 Date \$ Ex002 By SB

Fee amount: 37.50 FB: 03-80000 COMP: SB

Received - DIANE L. BATTIATO

WARRANTY DEED **PUBLIC PURPOSES**

When recorded return to: City of Omaha, Nebraska **Public Works Department** R-O-W Section

FOR OFFICE USE ONLY	
Project:	CSO Lift Station # 109
City Proj. No.:	OPW 51874
Tract No.:	
Address:	300 Pierce Street Omaha, Nebraska 68108

is

APRIL THIS DEED, made this _ day of _, 2011, between Riverview Properties, LLC, a Nebraska limited liability company, herein known as the "GRANTOR," whether one or more, for and in consideration of the sum of three million eight hundred ninety six thousand eighty one dollars (\$3,896,081.00) and other good and valuable consideration, in hand paid, do hereby grant, bargain, sell, convey, and confirm for public purposes unto the City of Omaha, Nebraska, a Municipal Corporation organized and existing under and by virtue of the Laws of the State of Nebraska, herein known as the "CITY," the following described real estate, situated in the County of Douglas and State of Nebraska, to-wit:

SEE ATTACHED EXHIBIT "A"

together with all the tenements, hereditaments, and appurtenances to the same belonging, and all the estate, title, dower, right of homestead, claim or demand whatsoever of the said GRANTOR herein, of, in, or to the same, or any part thereof;


TO HAVE AND TO HOLD the above described premises, with the appurtenances, unto said CITY and its successors and assigns forever for public purposes, and we, the said parties of the first part, GRANTOR herein, for ourselves and our heirs, executors, and administrators, do covenant with CITY and with its successors and assigns at ıd ıe

	hereunto set his or their hand(s)
22 day of 4700/ , 2011	
Riverview Properties, LLC,	
a Nebraska limited liability company	
	,
Monaging Mon	her
Name Title	
ACKNOWLEDGMENT	
STATE OF <u>NEBRASKA</u>)	
STATE OF NEBRASKA) SS	
COUNTY OF <u>DOUGLAS</u>) SS	
COUNTY OF DOUGLAS)	N
COUNTY OF DOUGLAS)	me, a Notary Public in and for said
COUNTY OF DOUGLAS) SS	e me, a Notary Public in and for said

WITNESS my hand and Notarial Seal the day and year last above written.

such officers and the voluntary act and deed of said limited liability company.

Notary Seal:



01-600000

PARCEL 1: That part of Blocks 243, 244 and 268, in the ORIGINAL CITY OF OMAHA, as surveyed and lithographed, in Douglas County, Nebraska, together with part of Lot 1, in QUAKER PLACE, an Addition to the City of Omaha, as surveyed, platted and recorded, in Douglas County, Nebraska, also together with part of Government Lot 4 in the Southeast Quarter of the Southwest Quarter (SE% SW%) of Section 23, Township 15 North, Range 13 East of the 6th P.M., in the City of Omaha, in Douglas County, Nebraska, and also together with part of vacated Pierce Street, 3rd Street, 4th Street and alleys contained within said blocks, the entire parcel described as follows:

Beginning at a 4 inch brass cap at the Southwest corner of Lot 6, of said Block 268, Original City of Omaha; thence South 87°47'11" West (assumed bearings), for 31.12 feet, along the North right-of-way line of Poppleton Avenue, to a 4 inch brass cap; thence North 30°01'31" West, for 74.98 feet, to a 4 inch brass cap on the West line of Lot 5, said Block 268; thence North 88°01'41" East, for 66.03 feet, to a 3/4 inch open top pipe on the West line of said Lot 6, Block 268; thence North 02°13'36" West, for 302.78 feet, along the West line of Lots 3 and 6, said Block 268, and the North extension thereof, to a 3/4 inch open top pipe at the South line of the vacated North portion of Pierce Street and the South line of Lot 1, Quaker Place; thence South 89°34'41" West, for 85.84 feet, along said South line, to a 3/4 inch open top pipe at the Southwest corner thereof; thence South 86°14'18" West, for 29.66 feet, continuing along said South line of the vacated North portion of Pierce Street, to a PK nail at the centerline of vacated 4th Street; thence North 02°45'32" West, for 156.55 feet, along said centerline, to the extended center line of the vacated East-West alley of said Block 244; thence South 87°53'11" West, for 181.46 feet, along said center line, parallel with and 10.00 feet North of the North line of Lots 7 and 8, said Block 244, to a 1 inch rebar at the Northerly extended West line of said Lot 7; thence South 02°34'44" East, for 157.39 feet, along said West line, to a point 15.00 feet South of the Southwest corner of said Lot 7, being at the South line of the vacated North 15.00 feet of Pierce Street; thence South 87°42'28" West, for 40.32 feet, parallel with and 15.00 feet South of the South line of Lot 6, said Block 244, to a 5/8 inch rebar at the East right-of-way line of the Burlington Northern Railroad; thence North 42°14'21" West, for 144.80 feet, along said East right-of-way line, to a 3/4 inch pinched top pipe at the West line of Lot 5, said Block 244; thence North 00°00'16" East, for 47.97 feet, along said West line, to a 5/8 inch solid bar at the center line of vacated East-West alley of said Block 244; thence North 88°23'20" East, for 33.95 feet, along said center line, parallel with and 10.00 feet North of the North line of said Lot 5, Block 244; thence North 02°43'47" West, for 83.16 feet, parallel with and 32.00 feet West of the East line of Lot 4, said Block 244, to a 5/8 inch rebar at the North line of said Lot 4; thence North 87°47'01" East, for 114.52 feet, along the North line of said Block 244; thence North 02°51'50" West, for 130.30 feet, to a 3/4 inch open top pipe; thence North 87°15'50" East, for 4.96 feet, to a 5/8 inch open top pipe; thence North 02°49'02" West, for 128.02 feet, to a 5/8 inch rebar at the South right-of-way line of the Union Pacific Railroad; thence North 87°04'12" East, for 173.60 feet, along said South right-of-way line, to a star drill hole; thence South 02°52'29" East, for 61.89 feet, continuing along said South right-of-way line to a 3/4 inch open top pipe; thence North 87°05'33" East, for 127.62 feet, continuing along said South right-of-way line to a point being 15.00 feet West of the West rail of the East track of the Quaker Oats spur line; thence along a line parallel with and 15.00 feet West of said rail, the following four (4) courses: 1. thence South 10°25'43" East, for 238.22 feet, to a star drill hold with chiseled "x"; 2. thence along a curve to the left (having a radius of 300.10 feet and a long chord bearing South 26°46'32" East, for 168.93 feet) for an arc length of 171.24 feet, to a survey spike with washer stamped LS 692; 3. thence along a curve to the left (having a radius of 725.30 feet and a long chord bearing South 44°16'45" East, for 59.26 feet) for an arc length of 59.28 feet, to a survey spike with washer stamped LS 692; 4. thence South 48°31'25" East, for 91.35 feet, to a survey spike with washer stamped LS 692; thence South 02°10'31" East, for 316.04 feet, to the North right-of-way line of Poppleton Avenue; thence South 87°56'33" West, for 232.44 feet, along said North right-of-way line, to the Point of Beginning.

NOTE: All corners are a 5/8 inch rebar with 1½ inch yellow plastic cap stamped LS 692 unless otherwise noted.

PARCEL 2: That part of Lots 1 and 2, in Block 267, in the ORIGINAL CITY OF OMAHA, as surveyed and lithographed, in Douglas County, Nebraska, together with the West 20.00 feet of vacated 4th Street abutting said Lot 1, the entire parcel described as follows:

Beginning at a 3/4 inch pinched top pipe at the intersection of the South right-of-way line of Pierce Street with the East line of the vacated West 20.00 feet of 4th Street; thence South 02°40'09" East (assumed bearings), for 131.82 feet, parallel with and 20.00 feet East of the East line of said Lot 1, to the extended North line of the East-West 20.00 feet public alley in said Block 267; thence South 87°40'00" West, for 43.40 feet, along said North line, to a 5/8 inch solid bar at the East right-of-way line of the Burlington Northern Railroad; thence along a curve to the left (having a radius of 1,684.69 feet and a long chord bearing North 35°03'38" West, for 156.91 feet) for an arc length of 156.96 feet, along said East right-of-way line, to a 3/4 inch open top pipe at the South right-of-way line of Pierce Street; thence North 87°55'39" East, for 127.64 feet, along said South right-of-way line, to the Point of Beginning.

NOTE: All corners are a 5/8 inch rebar with 1% inch yellow plastic cap stamped LS 692 unless otherwise noted.

PARCEL 3: That part of Lot 8, in Block 267, in the ORIGINAL CITY OF OMAHA, as surveyed and

lithographed, in Douglas County, Nebraska, described as follows:

Beginning at a 5/8 inch solid bar at the Northeast corner of said Lot 8; thence South 01°21'19" East (assumed bearings), for 17.55 feet, along the East line of said Lot 8, to a 5/8 inch solid bar at the East right-of-way line of the Burlington Northern Railroad; thence North 33°36'26" West, for 20.53 feet, along said East right-of-way line, to a 5/8 inch solid bar on the North line of said Lot 8; thence North 87°40'00" East, for 10.96 feet, along said North line, to the Point of Beginning.

NOTE: All corners are a 5/8 inch rebar with 1% inch yellow plastic cap stamped LS 692 unless otherwise noted.

25-08180

PARCEL 4: Lots 1 and 2, together with part of Lots 3 and 4, in Block 2, in CREDIT FONCIER, an Addition to the City of Omaha, as surveyed, platted and recorded, in Douglas County, Nebraska, also together with the vacated West 15.00 feet of 3rd Street abutting said Lot 1, the entire parcel described as follows:

Beginning at a 4 inch brass cap at the intersection of the South right-of-way line of Poppleton Avenue with the East line of the said vacated West 15.00 feet of 3rd Street; thence South 02°06'22" East (assumed bearing), for 131.95 feet, along a line parallel with and 15.00 feet East of the East line of said Lot 1, to a 5/8 inch solid bar, to the extended North line of the East-West 20.00 feet public alley in said Block 2; thence South 87°54'03" West, for 175.22 feet, along said North line, to the East right-of-way line of the Burlington Northern Railroad; thence along a curve to the right (having a radius of 1,860.08 feet and a long chord bearing North 34°49'04" West for 159.66 feet) for an arc length of 159.67 feet, along said East right-of-way line, to the South right-of-way line of Poppleton Avenue; thence North 87°59'20" East, for 264.30 feet, along said South right-of-way line, to the Point of Beginning.


NOTE: All corners are a 5/8 inch rebar with $1\frac{1}{4}$ inch yellow plastic cap stamped LS 692 unless otherwise noted.

25-08180

PARCEL 5: That part of Lots 6, 7 and 8, in Block 2, in CREDIT FONCIER, an Addition to the City of Omaha, as surveyed, platted and recorded, in Douglas County, Nebraska, together with the vacated West 15.00 feet of 3rd Street abutting said Lot 8, also together with the vacated North 15.00 feet of William Street abutting the right-of-way line of the Burlington Northern Railroad on the East and Lot 8 on the South, the entire parcel described as follows:

Beginning at a 5/8 inch solid bar at the intersection of the South line of the East-West 20.00 feet alley in said Block 2 with the East line of the vacated West 15.00 feet of 3rd Street; thence South 02°08'05" East (assumed bearing), for 147.04 feet, on a line parallel with and 15.00 feet East of the East line of said Lot 8, to a 5/8 inch solid bar 15.00 feet South of the South line thereof; thence South 87°55'10" West, for 61.47 feet, on a line parallel with and 15.00 feet South of the South line of said Lot 8, to a 5/8 inch solid bar at the East right-of-way of the Burlington Northern Railroad; thence North 02°06'41" West, for 15.00 feet, to the South line of said Lot 8 and the East right-of-way line of the Burlington Northern Railroad; thence along a curve to the left (having a radius of 1,960.08 feet and a long chord bearing North 38°38'02" West, for 125.97 feet) for an arc length of 125.99 feet, along said East right-of-way line; thence along a curve to the right (having a radius of 1,860.08 feet and a long chord bearing North 39°52'24" West, for 39.08 feet) for an arc length of 39.08 feet, along said East right-of-way line, to the South right-of-way line of the East-West alley in said Block 2; thence North 87°54'03" East, for 160.25 feet, along said South right-of-way line, to the Point of Beginning.

NOTE: All corners are a 5/8 inch rebar with $1\frac{1}{4}$ inch yellow plastic cap stamped LS 692 unless otherwise noted.



FILEWAME: L.\Engineering\05063.19\SURVEY\0FRAWKSY\05065-19-00-AIA.dmg DATE PLOTED: 4/21/2011-1:54 PM DRAWN BY: SGT PLOT SGALE: 1:1

That part of Lots 1 and 2. Block 267, ORIDINAL CITY OF DMAHA, a subdivision, as surveyed, platted and recorded in Deuglas County, Nebrosko, TOGETHER WiTH the west 20,00 feet of vocated 4th Street abuilting said Lot 1, the entire parcel described as follows:

fellows:

In the control of the cont

Note: All corners are a 5/8+ rebar with 1 1/4+ yellow plastic cap stamped LS 692 unless otherwise noted.

Percel 3

Their part of Lot 8 Boss 267, ORIGNAL CITY OF CMANA, a subvision, as surveyed, plotted and recorded in Douglas County,
Nebrotists, Seas-Chaid as a flowing and a Season of Seaso 0; Thence North 87'40'00' East for 10.96 feet along said north line to the Point of Beginning. Contains 96 square feet as field measured.

Note: All corners are a 5/8" rebar with 1 1/4" yellow plastic cap stamped LS 692 unless otherwise noted.

Porcel 4

Lost 1 and 2, TOCETHER WITH port of Lots 5 and 4, ed in Block 2, CREON FOADER a subdivision, as surveyed, plotted and recorded in Deuglac County, Newton, A.S.O. TOCETHER With the vocative west 15.00 feet of 3nd Street obstimp soil Lot 1, the efficiency controlled as follows:

Beginning of a ** brass cop at the interaction of the south right of way line of Poppinton Avenue with the cost line of the add vocated west 15.00 feet of 75 street;

Thereas South 02/09/27 cast (examines benefing) for 13.95 feet along as line prorial with and 15.00 feet act at the cost of and act of the County of the South County of the

use; There e North 87'59'20' East for 254.30 feet along solid south right of way line to the Point of Beginning. Contains 29,215 square feet as field measured.

That port of Lote 6, 7 and 8, Block 2, CREDIT FONCIRS e abdivision, as surveyed, plotted and recorded in Douglas County, Nebrosic, TOCETHER With the vecoted west 15.00 feet of 3rd Street doubting sold Lot 8 ALSO TOCETHER With the vecoted morth 15.00 feet of with Street and the street of the street and Lot 8 and the 15.00 feet of 3rd Street and 15.00 feet of 15.00

Note: All corners are a 5/8" rebar with 1 1/4" yellow plastic cap stamped LS 692 unless otherwise noted.

LEGAL DESCRIPTION

That part of Blocks 243, 244, and 268, ORIGINAL CITY OF GUARM, TOCKTHER WITH part of Lot 1, CLUKER PLACT at being subdivisions, as surveyed, plotted and recorded in Daviget Courty, Nathorasia, 43.50 TOCKTHER WITH out of Government Lot 4 in Southwest Daviet of Section 23, Township 15 North, Ronge 13 East of the 6th PLM, Dougles County, Nathorasia, AND ASSO TOCKTHER WITH out of Young 15 Courty for 6th PLM, PLM 2000 County, Nathorasia, AND ASSO TOCKTHER WITH out of vocabod Place Street, 345 Street, 4th Street, and alloys contained within soid blocks, the entire parted electrical to Block and Street 1 and 15 Street, 4th Street, and alloys contained within soid blocks, the entire parted electrical to 15 Street, and 15 Str

Intence South 974711" West (casumed beorings) for 31.12 feet loing the north right of way like of Poppiston Avenue to c 4" broiss cap.

There North 3070131" West for 74.98 feet to a 4" broiss cap on the west line of Let 5, sad Block 266;

There North 3070141" East for 5603 feet to a 3/4" open top pipe on the west line of soid Let 4, Block 266;

There is North 3070141" East for 5603 feet to a 3/4" open top pipe on the west line of soid Let 4, Block 266; and the north the layoft of 15.05" West for 307.79 feet cong the west line of Lors 3 on 67, and 5004. 266 on the north therealt loss and the south feet of the wested north princin of Pipers Steer on the south feet of the vectods north princin of Pipers Steer on the south feet of the Vectods from princin of Pipers Steer on the south feet of the Vectods north princin of Pipers Steer on the south feet of the Vectods north princin of Pipers Steer on the Steer feet of the Steer of the Vectod from the Vectod for the Vectod for the Vectod for the Vectod for the Vector of the Vectod for the Vectod fo

menics adort activit 15 Carl for 65.03 seek to a 34" open top live on the west live 4' add Lot 4. Black 288; These borth 07:13" were for 02.078 feet colong the wast live of lots 3 and 6, and Black 289 and the north extension thread to a 34" open top pipe at the south line of the vaccide north particle of Pierce Street and the point feet of 1. These South 801" 11" West for 28.68 feet continuing doing soid south line to a 34" open to page at the southstand corner thrency. There 800th 801" 11" West for 28.68 feet continuing doing soid south line to a 34" open to page at the southwest corner thereof; There 800th 801" 11" West for 28.68 feet continuing doing soid south line to a 34" open to page at the southwest corner thrency of 1. There 800th 801" 11" West for 19.53 feet doing soid centerline to the extended center fine of the vaccide aces —west long of soid Black 24".

There 800th 802" 11" West for 18.45 feet along soid centerline to the extended center fine of the vaccide aces —west long of soid Black 24".

There 80th 902.14" 4" East for 19.53 feet slong soid centerline profile with one 10.00 feet north of the north line of 1.00 left north of the north line of 1.00 left north of 1.00 left north of 1.00 left north of the north line of 1.00 left north 1.00 left

DEASEMENT NOTES

Eosements shown hereon os per Old Republic National Title Insurance Company Commitment Number TA-58515, Effective Dote: April 8, 2011 of 8:00 A.M. Revision Dote: April 14, 2011 of 9:00 A.M.

SCHEDULE B - Section II EXCEPTIONS Porcels 1-6

Item 2 Subject to Rights or claims of parties in possession not shown by the public records.

Item 3 Subject to any encroachment, encumbrances, violation, variation or adverse circumstance affecting the Title that would be disclosed by an accurate and complete land survey of the Land.

Item 4. Subject to Easements, claims of easement or encumbrances which are not shown by the public records.

Item 5. Subject to any ken, or right to a lien, for services, labor or material herelatore or hereafter furnished, imposed by low and not shown by the public records.

Items 6 through 8 Not a survey matter.

Item 9 Essement granted to Chicogo, Burlington & Duincy Rollroad Compony by instrument doted April 22, 1937 and recorded July 19, 1937, in Book 124 of Bys 411 of the Maccinetous Records of Douglas County, Nebranks, to construct, operate subject property. (As shown hereoft)

Item 10. Easement gronted by instrument dated July 7, 1937 and recorded July 20, 1937, in Book 126 at Page 122 of the Miscellaneous Records of Dougles County, Nebrasko, to use for roadway purposes a portion of subject property. (As shown

Eosements reserved for utilities above, an and below the surface of o of vacated 4th Street included within subject property by Ordinance No. If City of Cambon, Nebrasko, possed March 15, 1986 and recorded April in Book 435 at Page 137 of the Miscellaneous Records of Douglas County.

records (As shown inetton) for utilities above, on and below the surface of a portion of vectode 4th Street and Pierce Steet included within subject properly by Ordinance No. 28261 of the City of Ormbin, Nebroske, possed February 14, 1978 and recorded Morch 2, 1978 in Book 594 of Page 148 of the Miscellaneous Record of Dougles Country, Nebroske, Cas shown Pierce)

Item 18. Subject to Eosements reserved for emergency access as contained in Deed dated August 11, 1980 and recorded October 16, 1980, in Book 1658 at Page 129 of the Deed Records of Douglas County, Nebtocko.

Item 19 Terms and provisions of cosment agreement dated December 8, 1999 and recorded December 10, 1999, in Book 1319 at Page 806 of the Miscellaneous Records of Douglas County, Nethrosko, for pedestrian and vehicular passage, delivery, ingress, agrees and regress. (As shown hereby)

ALTA/ACSM LAND TITLE SURVEY

CITY OF OMAHA PUBLIC WORKS DEPARTMENT

OPW XXXX

