#36 50 021298

EDITED

Jun 3 4 18 PM '97

A ALL A LEGIC COUNTY 1980 C. ALL C. T. M. M.

EASEMENT-CORPORATION(GENERAL-page 1)

PROJECT: IM-180-9(551) C.N.: 11445

TRACT: 1 REVISED

KNOW ALL MEN BY THESE PRESENTS:

THAT Star City/Federal, Inc., a Nebraska corporation, and Lincoln Parking, L.L.C., a limited liability company. - SIXTEEN THOUSAND FIVE HUNDRED AND NO/100 (\$16,500.00)

organized and existing under and by virtue of the laws of the State of hereinafter known as the Grantor, for and in consideration of the sum of SIX THOUSAND SIX HUNDRED AND NO/100-(\$0,000.00) DOLLARS in hand paid does hereby grant and convey unto THE STATE OF NEBRASKA, DEPARTMENT OF ROADS, and to its successors and assigns the following described permanent easement for the purpose of BRIDGE CONSTRUCTION AND MAINTENANCE and the subsequent maintenance of same, situated in LANCASTEP County and State of Nebraska to-wit. situated in LANCASTER County, and State of Nebraska, to-wit;

PERMANENT AERIAL EASEMENT TO A TRACT OF LAND AND ALL IMPROVEMENTS THEREON, IF ANY, FOR THE PURPOSE OF CONSTRUCTING, MAINTAINING AND RECONSTRUCTING A HIGHWAY OVERPASS LOCATED IN LOT 1 OF CORNHUSKER SHADOWS, ADMINISTRATIVE SUBDIVISION IN THE CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, ABOVE THE TRACT OF LAND DESCRIBED BELOW, TOGETHER WITH A PERMANENT EASEMENT FOR CONSTRUCTING ON SAID TRACT, AND MAINTAINING AND RECONSTRUCTING THE NECESSARY BRIDGE PIERS AS SHOWN ON THE ATTACHED PLAT LABELED AS EXHIBIT A. THE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

REFERRING TO THE SOUTHWEST CORNER OF SAID LOT 1, SAID CORNER BEING LOCATED REFERRING TO THE SOUTHWEST CORNER OF SAID LOT 1, SAID CORNER OF NOTTHE AT THE INTERSECTION OF THE NORTHERLY EXISTING RIGHT OF WAY LINE OF NORTH 8TH STREET; STREET WITH THE EASTERLY EXISTING RIGHT OF WAY LINE OF NORTH 8TH STREET; THENCE NORTHERLY ALONG THE WEST LINE OF SAID LOT 1, SAID LINE ALSO BEING THE EASTERLY EXISTING RIGHT OF WAY LINE OF NORTH 8TH STREET, A DISTANCE OF 135.33 METERS (444.00 FEET) TO THE NORTH LINE OF SAID LOT 1; THENCE NORTHEASTERLY DEFLECTING 062 DEGREES, 32 MINUTES, 00 SECONDS RIGHT, ALONG SAID NORTH LINE, A DISTANCE OF 10.42 METERS (34.18 FEET); THENCE EASTERLY DEFLECTING 027 DEGREES, 28 MINUTES, 00 SECONDS RIGHT, ALONG SAID NORTH LINE, A DISTANCE OF 9.14 METERS (30.00 FEET); THENCE SOUTHERLY DEFLECTING 090 DEGREES, 00 MINUTES, 00 SECONDS RIGHT, ALONG SAID NORTH LINE, A DISTANCE OF 15.24 METERS (50.00 FEET); THENCE SOUTHEASTERLY DEFLECTING 027 DEGREES, 34 MINUTES, 15 SECONDS LEFT, ALONG SAID NORTH LINE, A DISTANCE OF 19.59 METERS (64.27 FEET); THENCE EASTERLY DEFLECTING 062 DEGREES, 19 MINUTES, 26 SECONDS LEFT, ALONG SAID NORTH LINE, A DISTANCE OF 43.06 METERS

PROJECT: IM-180-9(551) C.N.: 11445 TRACT: 1 REVISED

(141.26 FEET); THENCE CONTINUING EASTERLY DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS, ALONG SAID NORTH LINE, A DISTANCE OF 20.93 METERS (68.67 FEET) TO THE EAST LINE OF SAID LOT 1, SAID EAST LINE ALSO BEING THE WESTERLY EXISTING RIGHT OF WAY LINE OF NORTH 9TH STREET; THENCE SOUTHERLY DEFLECTING 089 DEGREES, 53 MINUTES, 49 SECONDS RIGHT, ALONG SAID EAST LINE, A DISTANCE OF 17.16 METERS (56.31 FEET) TO THE BEGINNING OF A CURVE CONCAVE TO THE NORTHWEST, HAVING A RADIUS OF 18.29 METERS (60.00 FEET) AND A TANGENT LENGTH OF 3.08 METERS (10.10 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE AND SAID EAST LINE, THROUGH A CENTRAL ANGLE OF 019 DEGREES, 06 MINUTES, 28 SECONDS, AN ARC DISTANCE OF 6.10 METERS (20.00 FEET), THE INITIAL TANGENT OF SAID CURVE DEFLECTING 030 DEGREES, 37 MINUTES, 17 SECONDS RIGHT FROM THE LAST DESCRIBED LINE; THENCE SOUTHWESTERLY DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS FROM THE FINAL TANGENT OF THE LAST DESCRIBED CURVE, ALONG SAID EAST LINE, A DISTANCE OF 3.51 METERS (11.50 FEET) TO THE BEGINNING OF A CURVE CONCAVE TO THE FOUTHWESTERLY MAVING A RADIUS OF 24.38 METERS (80.00 FEET) AND A TANGENT LENGTH OF 11.30 METERS (37.07 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE EAST LENGTH OF 11.30 METERS (37.07 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE EAST LENGTH OF 11.30 METERS (37.07 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE EAST LENGTH OF 11.30 METERS (77.07 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE EAST LENGTH OF 11.30 METERS (37.07 FEET); THENCE SOUTHWESTERLY ALONG SAID CURVE EAST DESCRIBED LINE; THENCE NORTHERLY DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS ROUTH TO SAID CURVE DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS ROUTH TO SAID CURVE DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS RIGHT FROM THE FINAL TANGENT OF THE LAST DESCRIBED CURVE, A DISTANCE OF 3.40 METERS (29.63 FEET); THE POINT OF BEGINNING; THENCE CONTINUING NORTHERLY DEFLECTING 160 DEGREES, 10 MINUTES, 51 SECONDS, AN ARC DISTANCE OF 18.06 METERS (59.25 FEET) THE INITIAL TANGENT OF SAID CURVE DEFLECTING 017 DEGRE

THE EASEMENT AREA(S) MAY BE USED FOR THE TEMPORARY RELOCATION OF UTILITIES DURING THE CONSTRUCTION OF THE PROJECT. GRANTOR MAY MAKE ANY AND ALL NONCOMPETING USES OF THE PERMANENT AERIAL EASEMENT AREA INCLUDING THE AREA UNDER THE BRIDGE STRUCTURE, SUCH USE TO INCLUDE PARKING OF VEHICLES. GRANTORS USE OF THE AREA WILL BE SUBJECT TO THE FOLLOWING LIMITATIONS:

1. THE GRANTOR WILL NOT BUILD, CAUSE TO BE BUILT, OR MAINTAIN ANY STRUCTURE OF ANY TYPE WITHIN THE EASEMENT AREA, EXCEPT THAT THE WESTERLY 2 FEET OF THE EASEMENT MAY BE OCCUPIED BY UNDERGROUND FOOTINGS FOR ANY EXPANSION, PRESENT OR FUTURE, OF THE PRESENT BUILDING, REQUIRED UTILITIES AND LIGHTING AND MAY BE OCCUPIED DURING MAINTENANCE OF ANY PROPOSED BUILDING EXPANSION.

PROJECT: IM-180-9(551) C.N.: 11445 TRACT: 1 REVISED

2. THE GRANTOR WILL NOT STORE OR PERMIT ANY STORAGE OF ANY MATERIAL OF ANY TYPE WITHIN THE EASEMENT AREA.

3. UNDER NO CIRCUMSTANCES SHALL THE GRANTOR HAVE THE RIGHT OF INGRESS OR EGRESS FROM ADJACENT LANDS TO THE BRIDGES, HIGHWAY OR VIADUCTS.

AND ALSO:

PERMANENT EASEMENT TO A TRACT OF LAND AND ALL IMPROVEMENTS THEREON, IF ANY, FOR THE PURPOSE OF CONSTRUCTING, MAINTAINING AND RECONSTRUCTING A HIGHWAY OVERPASS LOCATED IN LOT 2 OF CORNHUSKER SHADOWS, ADMINITRATIVE SUBDIVISION IN THE CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, ABOVE THE TRACT OF LAND DESCRIBED BELOW, TOGETHER WITH A PERMANENT EASEMENT FOR CONSTRUCTING ON SAID TRACT, AND MAINTAINING AND RECONSTRUCTING THE NECESSARY BRIDGE PIERS AS SHOWN ON THE ATTACHED PLAT LABELED AS EXHIBIT A. THE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

REFERRING TO THE SOUTHWEST CORNER OF LOT 1 OF SAID SUBDIVISION, SAID CORNER BEING LOCATED AT THE INTERSECTION OF THE NORTHERLY EXISTING RIGHT OF WAY LINE OF "S" STREET WITH THE EASTERLY EXISTING RIGHT OF WAY LINE OF NORTH 8TH STREET; THENCE NORTHERLY ALONG THE WEST LINE OF SAID LOT 1, SAID LINE ALSO BEING THE EASTERLY EXISTING RIGHT OF WAY LINE OF NORTH 8TH STREET, A DISTANCE OF 135.33 METERS (444.00 FEET) TO THE SOUTH LINE OF SAID LOT 2; THENCE NORTHEASTERLY DEFLECTING 062 DEGREES, 32 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 10.42 METERS (34.18 FEET); THENCE EASTERLY DEFLECTING 027 DEGREES, 28 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 9.14 METERS (30.00 FEET); THENCE SOUTHERLY DEFLECTING 090 DEGREES, 00 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 15.24 METERS (50.00 FEET); THENCE SOUTHERLY DEFLECTING 027 DEGREES, 34 MINUTES, 10 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 15.24 METERS (50.00 FEET); THENCE SOUTHERLY DEFLECTING 027 DEGREES, 34 MINUTES, 15 SECONDS LEFT, ALONG SAID SOUTH LINE, A DISTANCE OF 19.59 METERS (64.27 FEET); THENCE EASTERLY DEFLECTING 062 DEGREES, 19 MINUTES, 26 SECONDS LEFT, ALONG SAID SOUTH LINE, A DISTANCE OF 43.06 METERS (141.26 FEET); THENCE CONTINUING EASTERLY DEFLECTING 062 DEGREES, 00 MINUTES, 00 SECONDS, ALONG SAID SOUTH LINE, A DISTANCE OF 20.93 METERS (68.67 FEET) TO THE EAST LINE OF SAID LOT 2, SAID EAST LINE ALSO BEING THE WESTERLY EXISTING RIGHT OF WAY LINE OF NORTH STREET; THENCE NORTHERLY DEFLECTING 090 DEGREES, 06 MINUTES, 11 SECONDS LEFT, ALONG SAID SOUTH LINE, A DISTANCE OF 9.14 METERS (30.00 FEET) TO THE NORTH LINE OF SAID LOT 2; THENCE WESTERLY DEFLECTING 089 DEGREES, 53 MINUTES, 49 SECONDS LEFT, ALONG SAID NORTH LINE, A DISTANCE OF 5.34 METERS (67.20 FEET); THENCE NORTHWESTERLY DEFLECTING 062 DEGREES, 00 MINUTES, 00 SECONDS, ALONG SAID NORTH LINE, A DISTANCE OF 69.22 METERS (67.20 FEET); THENCE SOUTHEASTERLY DEFLECTING 07 DEGREES, 00 MINUTES, 39 SECONDS LEFT, A DISTANCE OF 44.28 METERS (79.66 FEE

PROJECT: IM-180-9(551) C.N.: 11445 TRACT: 1 REVISED

DEFLECTING OOO DEGREES, OO MINUTES, OO SECONDS FROM THE LAST DESCRIBED LINE; THENCE EASTERLY DEFLECTING O63 DEGREES, 54 MINUTES 56 SECONDS LEFT FROM THE FINAL TANGENT OF THE LAST DESCRIBED CURVE, A DISTANCE OF 1.21 METERS (3.97 FEET); THENCE SOUTHERLY DEFLECTING O90 DEGREES, OO MINUTES, OO SECONDS RIGHT, A DISTANCE OF 2.50 METERS (8.20 FEET) TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 452.80 METERS (1485.56 FEET) AND A TANGENT LENGTH OF 10.68 METERS (35.04 FEET); THENCE SOUTHEASTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 00.2 DEGREES, 42 MINUTES, OB SECONDS, AN ARC DISTANCE OF 21.35 METERS (70.05 FEET), THE INITIAL TANGENT OF SAID CURVE DEFLECTING 025 DEGREES, 43 MINUTES, OS SECONDS LEFT FROM THE LAST DESCRIBED LINE; THENCE EASTERLY DEFLECTING 066 DEGREES, 58 MINUTES O9 SECONDS LEFT FROM THE FINAL TANGENT OF THE LAST DESCRIBED CURVE, A DISTANCE OF 0.94 METERS (3.08 FEET); THENCE SOUTHERLY DEFLECTING 066 DEFLECTING 00 DEGREES, 00 MINUTES, 00 SECONDS RIGHT, A DISTANCE OF 2.22 METERS (7.28 FEET) TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHERLY DEFLECTING 09.0 DEGREES, 00 MINUTES, 00 SECONDS RIGHT, A DISTANCE OF 2.22 METERS (34.74 FEET); THENCE SOUTHEASTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 00.2 DEGREES, 40 MINUTES, 49 SECONDS, AN ARC DISTANCE OF 21.18 METERS (34.74 FEET); THENCE SOUTHEASTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 00.2 DEGREES, 40 MINUTES, 49 SECONDS, AN ARC DISTANCE OF 21.18 METERS (69.49 FEET); THE INITIAL TANGENT OF SAID CURVE DEFLECTING 0.22 DEGREES, 43 MINUTES, 31 SECONDS LEFT FROM THE LAST DESCRIBED LINE; THENCE EASTERLY DEFLECTING 0.69 DEGREES, 57 MINUTES 17 SECONDS LEFT FROM THE FINAL TANGENT OF THE LAST DESCRIBED CURVE, A DISTANCE OF 1.06 METERS (3.48 FEET) TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHWEST, HAVING A RADIUS OF 453.80 METERS (1.488.85 FEET) AND A TANGENT LENGTH OF 5.80 METERS (1.9.03 FEET); THENCE NORTHWESTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 00.1 DEGREES, 00 MINUTES, 00 SECONDS RIGHT FROM THE FINAL T

THE EASEMENT AREA(S) MAY BE USED FOR THE TEMPORARY RELOCATION OF UTILITIES DURING THE CONSTRUCTION OF THE PROJECT. GRANTOR MAY MAKE ANY AND ALL NONCOMPETING USES OF THE PERMANENT AERIAL EASEMENT AREA INCLUDING THE AREA UNDER THE BRIDGE STRUCTURE, SUCH USE TO INCLUDE PARKING OF VEHICLES. GRANTORS USE OF THE AREA WILL BE SUBJECT TO THE FOLLOWING LIMITATIONS:

- 1. THE GRANTOR WILL NOT BUILD, CAUSE TO BE BUILT, OR MAINTAIN ANY STRUCTURE OF ANY TYPE WITHIN THE EASEMENT AREA, EXCEPT THAT THE WESTERLY 2 FEET OF THE EASEMENT MAY BE OCCUPIED BY UNDERGROUND FOOTINGS FOR ANY EXPANSION, PRESENT OR FUTURE, OF THE PRESENT BUILDING, REQUIRED UTILITIES AND LIGHTING AND MAY BE OCCUPIED DURING MAINTENANCE OF ANY PROPOSED BUILDING EXPANSION.
- 2. THE GRANTOR WILL NOT STORE OR PERMIT ANY STORAGE OF ANY MATERIAL OF ANY TYPE WITHIN THE EASEMENT AREA.
- 3. UNDER NO CIRCUMSTANCES SHALL THE GRANTOR HAVE THE RIGHT OF INGRESS OR EGRESS FROM ADJACENT LANDS TO THE BRIDGES, HIGHWAY OR VIADUCTS.

EASEMENT-CORPORATION(GENERAL-page 5)

PROJECT: IM-180-9(551) C.N.: 11445 TRACT: 1 REVISED

AND ALSO:

PERMANENT AERIAL EASEMENT TO A TRACT OF LAND AND ALL IMPROVEMENTS THEREON, IF ANY, FOR THE PURPOSE OF CONSTRUCTING, MAINTAINING AND RECONSTRUCTING A HIGHWAY OVERPASS LOCATED IN LOT 3 OF CORNHUSKER SHADOWS, ADMINISTRATIVE SUBDIVISION IN THE CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, ABOVE THE TRACT OF LAND DESCRIBED BELOW, TOGETHER WITH A PERMANENT EASEMENT FOR CONSTRUCTING ON SAID TRACT, AND MAINTAINING AND RECONSTRUCTING THE NECESSARY BRIDGE PIERS AS SHOWN ON THE ATTACHED PLAT LABELED AS EXHIBIT A. THE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

REFERRING TO THE SOUTHWEST CORNER OF LOT 1 OF SAID SUBDIVISION, SAID CORNER BEING LOCATED AT THE INTERSECTION OF THE NORTHERLY EXISTING RIGHT OF WAY LINE OF "S" STREET WITH THE EASTERLY EXISTING RIGHT OF WAY LINE OF "S" STREET WITH THE EASTERLY EXISTING RIGHT OF WAY LINE OF NORTH STREET; THENCE NORTHERLY ALONG THE WEST LINE OF LOT 1, SAID LINE ALSO BEING THE BASTERLY EXISTING RIGHT OF WAY LINE OF NORTH STREET; ALONG THE WEST LINE OF LOT 1, SAID LINE ALSO DISTANCE OF 135.33 METERS (444.00 FEET) TO THE SOUTH LINE OF LOT 2 OF SAID SUBDIVISION; THENCE CONTINUING NORTHERLY DEFLECTING 00 DEGREES, 00 MINUTES, 00 SECONDS, ALONG THE WEST LINE OF SAID LOT 2, A DISTANCE OF 10.66 METERS (34.99 FEET) TO THE SOUTH LINE OF SAID LOT 3; THENCE NORTHEASTERLY DEFLECTING 062 DEGREES, 32 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 13.74 METERS (45.08 FEET); THENCE MORTHERSTERLY DEFLECTING 062 DEGREES, 32 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 13.74 METERS (45.08 FEET); THENCE MORTHERSTELY DEFLECTING 090 DEGREES, 00 MINUTES, 00 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 2.51 METERS (100.23 FEET); THENCE EASTERLY DEFLECTING 090 DEGREES, 00 MINUTES, 03 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 2.51 METERS (33.85 FEET) TO THE POINT OF BEGINNING; THENCE CONTINUING EASTERLY DEFLECTING 000 DEGREES, 00 MINUTES, 00 SECONDS, ALONG SAID SOUTH LINE, A DISTANCE OF 2.11 METERS (6.92 FEET); THENCE SOUTHEASTERLY DEFLECTING 064 DEGREES, 09 MINUTES, 24 SECONDS LEFT, A DISTANCE OF 15.31 METERS (20.23 FEET); THENCE SOUTHEASTERLY DEFLECTING 051 DEGREES, 33 MINUTES, 47 SECONDS RIGHT, ALONG SAID SOUTH LINE, A DISTANCE OF 10.30 METERS (32.91 FEET) TO THE EAST LINE OF SAID LOT 3, SAID EAST LINE ALSO BEING THE WESTERLY EXISTING RIGHT OF WAY LINE OF MORTH 9TH STREET; THENCE NORTHERLY DEFLECTING 050 DEGREES, 08 MINUTES, 51 SECONDS LEFT FROM THE LAST DEGREES, 08 MINUTES, 51 SECONDS LEFT FROM THE LAST DEGREES, 08 MINUTES, 11 METERS (592.96 FEET) AND A TANGENT OF SAID LORY DEGREES, 10 MINUTES, 24 SE

EASEMENT-CORPORATION(GENERAL-page 6)

PROJECT: IM-180-9(551) C.N.: 11445

TRACT: 1 REVISED

METERS (209.36 FEET); THENCE SOUTHEASTERLY DEFLECTING 027 DEGREES, 10 MINUTES, 39 SECONDS LEFT, A DISTANCE OF 75.97 METERS (249.25 FEET) TO THE SOUTH LINE OF SAID LOT 3 AND THE POINT OF BEGINNING, CONTAINING AN AREA OF 7648.19 SQUARE METERS (82324.43 SQUARE FEET), MORE OR LESS, WHICH CONTAINS 7071.95 SQUARE METERS (76121.84 SQUARE FEET) MORE OR LESS, PREVIOUSLY OCCUPIED AS PERMANENT EASEMENT.

THE EASEMENT AREA(S) MAY BE USED FOR THE TEMPORARY RELOCATION OF UTILITIES DURING THE CONSTRUCTION OF THE PROJECT. GRANTOR MAY MAKE ANY AND ALL NONCOMPETING USES OF THE PERMANENT AERIAL EASEMENT AREA INCLUDING THE AREA UNDER THE BRIDGE STRUCTURE, SUCH USE TO INCLUDE PARKING OF VEHICLES. GRANTORS USE OF THE AREA WILL BE SUBJECT TO THE FOLLOWING LIMITATIONS:

- THE GRANTOR WILL NOT BUILD, CAUSE TO BE BUILT, OR MAINTAIN ANY STRUCTURE OF ANY TYPE WITHIN THE EASEMENT AREA, EXCEPT THAT THE WESTERLY 2 FEET OF THE EASEMENT MAY BE OCCUPIED BY UNDERGROUND FOOTINGS FOR ANY EXPANSION, PRESENT OR FUTURE, OF THE PRESENT BUILDING, REQUIRED UTILITIES AND LIGHTING AND MAY BE OCCUPIED DURING MAINTENANCE OF ANY PROPOSED BUILDING EXPANSION.
- THE GRANTOR WILL NOT STORE OR PERMIT ANY STORAGE OF ANY 2. MATERIAL OF ANY TYPE WITHIN THE EASEMENT AREA.
- UNDER NO CIRCUMSTANCES SHALL THE GRANTOR HAVE THE RIGHT OF 3. INGRESS OR EGRESS FROM ADJACENT LANDS TO THE BRIDGES, HIGHWAY OR VIADUCTS.

The abandonment of said permanent easement for the purposes described herein shall render this conveyance void and cause said permanent easement to revert to said Grantor and to its successors and assigns.

Duly executed this 1 day of MHY, 1947. SEAL

ATTEST

By: Thakerolee

Corporation
By: Ledle

LINGULN PARKING, LAC, a limited lishelity company,

By L'Serble

EASEMENT-CORPORATION(GENERAL-page 7)

) C.N.: 11445 TRACT: 1 REVISED
CTATE OF NERV	On this 12 day of MAY, A.D., 1957,
)ss.	before me, a General Notary Public, duly
STATE OF <u>NERE'</u>) ss.	commissioned and qualified, personally came
	the duly authorized representatives of
	STAR CITY/TEDERAL INC.
	who acknowledged that he, she or they held the position or title set forth in the instrument,
	that he, she or they signed the instrument on
	behalf of the corporation by proper authority and
	that the instrument was the act of the
	corporation and are to me known to be said duly
	authorized representative or representatives and
	and the identical person or persons who signed
	the foregoing instrument and acknowledged the execution thereof to be his, her or their volunt-
	ary act and deed.
GENERAL NOTARY State of Nebraska	WITNESS my hand and notarial seal the day
PHILIP B. WARREN	and year Last above written.
My Comm. Exp. Oct. 31, 1998	and year hast above written. Notary Public. commission expires the day of way. 1973.
My	commission expires the Alday of Allay o
STATE OF NEC.	On this /v day of MAY , A.D., 1997,
)ss.	before me, a General Notary Public, duly

STATE OF <u>Nobe</u>)
)ss.
//oucks/ County)

On this /r day of MAY, A.D., 1977, before me, a General Notary Public, duly commissioned and qualified, personally came

who acknowledged that he, she or they held the position or title set forth in the instrument, that he, she or they signed the instrument on behalf of the corporation by proper authority and that the instrument was the act of the corporation and are to me known to be said duly authorized representative or representatives and and the identical person or persons who signed the foregoing instrument and acknowledged the execution thereof to be his, her or their voluntary act and deed.

WITNESS my hand and notarial seal the day and year last above written.

Notary Public.

My commission expires the Aday of May 1979.

GENERAL NOTARY-State of Nebraska
PHILIP B. WARREN
WY Corom. Exp. Oct. 31, 1998