

STATE OF NEBRASKA ♦ SECRETARY OF STATE'S OFFICE  
1445 "K" ST • STATE CAPITOL SUITE 1301 • LINCOLN, NE • 68509  
BUSINESS SERVICES DIVISION

Corporations  
P.O. BOX 94608  
(402) 471-4079

Uniform Commercial Code  
P.O. BOX 95104  
(402) 471-4080

Notary  
P.O. BOX 95104  
(402) 471-2558

JOHN A. GALE  
Secretary of State

ANN HINKLE  
Deputy for Business Services  
& Technology

TitleCore National, LLC.  
8701 West Dodge Road  
Suite 150  
OMAHA, NE 68114

SECRETARY OF STATE  
UCC Search Response

Time of Request: 04/03/2017 at 02:02pm  
Records Through: 04/02/2017 05:00pm  
Report ID Number: SRCH-982017031523

Debtor Name: dana partnership  
Modified Name: DANA

SEARCH CRITERIA:

Lien Type: UCC; Statutory Agriculture Liens  
Search Logic: Standard  
Status: All

Lien Type: Federal and State Tax Liens; Judgment Liens  
Search Logic: Non-Standard Wildcard

**SECRETARY OF STATE**  
**Search Report ID SRCH-982017031523**

Financing Statement #9917785220-6  
FILED: 01/17/2017 05:00 PM  
LAPSE DATE: 01/17/2022

(D)  
DANA PARTNERSHIP, LLP  
Organization  
1504 HARNEY STREET  
OMAHA, NE 68102 USA


(D)  
HOTEL DECO XV  
Organization  
1504 HARNEY STREET  
OMAHA, NE 68102 USA

(S)  
SS KEMP & CO, LLC  
Organization  
4567 WILLOW PARKWAY  
CLEVELAND, OH 44125 USA

**Documents**

ACTIONS	DATE	DOCUMENT #	PGS
Original Filing	01/17/2017 05:00 PM	9917785220-6	18

**UCC FINANCING STATEMENT**  
FOLLOW INSTRUCTIONS



A. NAME & PHONE OF CONTACT AT FILER (optional)  
(800) 826-5256 UCC Division

B. E-MAIL CONTACT AT FILER (optional)  
ucc@ncscredit.com NE SOS

C. SEND ACKNOWLEDGMENT TO: (Name and Address)

NCS UCC Services Group  
PO Box 24101  
Cleveland, OH 44124  
USA  
(800) 826-5256

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1. DEBTOR'S NAME: Provide only one Debtor name (1a or 1b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 1b, leave all of item 1 blank, check here  and provide the Individual Debtor information in Item 10 of the Financing Statement Addendum (Form UCC1Ad)

1a. ORGANIZATION'S NAME  
DANA Partnership, LLP

OR

1b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
--------------------------	---------------------	-------------------------------	--------

1c. MAILING ADDRESS  
1504 Harney Street

CITY Omaha	STATE NE	POSTAL CODE 68102	COUNTRY USA
---------------	-------------	----------------------	----------------

2. DEBTOR'S NAME: Provide only one Debtor name (2a or 2b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 2b, leave all of item 2 blank, check here  and provide the Individual Debtor information in Item 10 of the Financing Statement Addendum (Form UCC1Ad)

2a. ORGANIZATION'S NAME  
Hotel Deco XV

OR

2b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
--------------------------	---------------------	-------------------------------	--------

2c. MAILING ADDRESS  
1504 Harney Street

CITY Omaha	STATE NE	POSTAL CODE 68102	COUNTRY USA
---------------	-------------	----------------------	----------------

3. SECURED PARTY'S NAME (or NAME of ASSIGNEE of ASSIGNOR SECURED PARTY): Provide only one Secured Party name (3a or 3b)

3a. ORGANIZATION'S NAME  
SS Kemp & Co, LLC

OR

3b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
--------------------------	---------------------	-------------------------------	--------

3c. MAILING ADDRESS  
4567 Willow Parkway

CITY Cleveland	STATE OH	POSTAL CODE 44125	COUNTRY USA
-------------------	-------------	----------------------	----------------

4. COLLATERAL: This financing statement covers the following collateral:  
In order to secure payment and performance of all obligations owed to Creditor, Customer hereby grants Creditor a continuing security interest in all equipment and goods manufactured or distributed by Creditor, whenever sold, consigned, leased, rented or delivered, directly or indirectly, by Creditor, to or for the benefit of Customer, wherever located, whether now owned or hereafter acquired, including but not limited to the specific equipment and goods described in the attached Exhibit "A" to this Credit Application, and all replacement parts accessories and supplies, including repossessions and returns, and all books and records and proceeds from the sale, lease or rental thereof, and all existing or subsequently arising accounts and accounts receivable and supporting obligation which may from time to time hereafter come into existence during

Please see attached Addendum & Form(s) for Additional Collateral

5. Check only if applicable and check only one box: Collateral is  held in a Trust (see UCC1Ad, item 17 and Instructions)  being administered by a Decedent's Personal Representative

6a. Check only if applicable and check only one box:  
 Public-Finance Transaction  Manufactured-Home Transaction  A Debtor is a Transmitting Utility

6b. Check only if applicable and check only one box:  
 Agricultural Lien  Non-UCC Filing

7. ALTERNATIVE DESIGNATION (if applicable):  Lessee/Lessor  Consignor/Consignor  Seller/Buyer  Bailee/Bailor  Licensee/Licenser

8. OPTIONAL FILER REFERENCE DATA:  
UCC# U203726 Ref# 47355

**SEE ATTACHMENTS**

A-ok  
J

785270-6

### UCC FINANCING STATEMENT ADDENDUM

FOLLOW INSTRUCTIONS

9. NAME OF FIRST DEBTOR: Same as line 1a or 1b on Financing Statement; if line 1b was left blank because Individual Debtor name did not fit, check here

9a. ORGANIZATION'S NAME DANA Partnership, LLP	
OR	
9b. INDIVIDUAL'S SURNAME	
FIRST PERSONAL NAME	
ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or Debtor name that did not fit in line 1b or 2b of the Financing Statement (Form UCC1) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailing address in line 10c

10a. ORGANIZATION'S NAME				
OR				
10b. INDIVIDUAL'S SURNAME				
INDIVIDUAL'S FIRST PERSONAL NAME				
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)				SUFFIX
10c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

11.  ADDITIONAL SECURED PARTY'S NAME or  ASSIGNOR SECURED PARTY'S NAME: Provide only one name (11a or 11b)

11a. ORGANIZATION'S NAME				
OR				
11b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
11c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

12. ADDITIONAL SPACE FOR ITEM 4 (Collateral):  
the term of this security agreement.

13. <input type="checkbox"/> This FINANCING STATEMENT is to be filed (for record) (or recorded) in the REAL ESTATE RECORDS (if applicable)	14. This FINANCING STATEMENT: <input type="checkbox"/> covers timber to be cut <input type="checkbox"/> covers as-extracted collateral <input type="checkbox"/> Is filed as a fixture filing
15. Name and address of a RECORD OWNER of real estate described in item 16 (if Debtor does not have a record interest):	16. Description of real estate:

17. MISCELLANEOUS:

Exhibit "A"

785220-6



# Quote

12/05/2016

## SS KEMP

To:  
 Hotel Deco  
 Matt Korsos  
 1504 Harney Street  
 Omaha, NE 68102  
 402-991-4981 232 (Contact)

Project:  
 Hotel Deco XV REV4\_12.5.16

From:  
 TriMark SS Kemp  
 Theresa Girardot  
 4567 Willow Parkway  
 Cleveland, OH 44125-1041  
 (216)271-7700  
 216-429-8492 (Contact)

Item	Qty	Description	Sell.	Sell Total
1	1 ea	WALK IN COOLER By Others Model No. NIC Walk-In Cooler		<Existing>
2	1 ea	DUNNAGE RACK Cambro Model No. DRS480480 S-Series Dunnage Rack, slotted top, 3000 lb. load capacity, 21"D x 48"W x 12"H, polypropylene, one-piece, seamless double wall construction, 4" square legs, speckled gray, NSF		
	1 ea	DRLNK1.10 Camlink®, for all size and style dunnage racks, black, NSF		
ITEM TOTAL:				
3	2 ea	DUNNAGE RACK Cambro Model No. DRS360480 S-Series Dunnage Rack, slotted top, 1500 lb. load capacity, 21"D x 36"W x 12"H, polypropylene, one-piece, seamless double wall construction, 4" square legs, speckled gray, NSF		
	1 ea	DRLNK1.10 Camlink®, for all size and style dunnage racks, black, NSF		
ITEM TOTAL:				
4	1 ea	WORK TABLE WITH WOOD TOP John Boos Model No. HN809 Work Table, 60"W x 30"D, 1-3/4" laminated Hard Rock maple flat top, galvanized legs, side & rear adjustable bracing, NSF, KD		
5	2 ea	INGREDIENT BIN Rubbermaid Model No. FG360088WHT ProSave® Ingredient Bin, 2-3/4 cu. ft., 13-1/8"W x 29-1/4"D x 28"H, mobile, slant front with sliding lid, 32 oz. scoop, seamless construction, 3" extra wide casters front fixed & rear swivel, white base/clear lid, USDA, FDA, NSF		
6	1 ea	PLANETARY MIXER Globe Model No. SP40 Planetary Mixer, floor model, 40 qt. 304 stainless steel bowl, #12 attachment-hub, (3) fixed-speeds, digital controls with 60-minute timer & batch recall, permanently lubricated gear-driven transmission, removable stainless steel bowl guard with built-in ingredient chute, interlocking bowl lift, thermal overload protection, cast iron body with enamel gray paint, non-slip rubber feet, includes: stainless steel wire whip, aluminum spiral dough hook & flat beater, 2 HP, cETLus, NSF		
	1 ea	2 year parts and year labor warranty (contact factory for details)		

Hotel Deco XV REV4\_12.5.16

Hotel Deco

Initial: *TV*  
Page 1 of 18

7857206

TriMark SS Kemp

12/05/2016


Item	Qty	Description	Sell	Sell Total
	1 ea	220v/60/1-ph, 12.0 amps, NEMA L6-30P		
7	1 ea	<b>WORK TABLE</b> John Boos Model No. ST4-3072SSK Work Table, 72"W x 30"D, 14/300 stainless steel flat top with Stallion safety edge front & back, 90° turndown on sides, 18 gauge stainless steel adjustable undershelf, stainless steel legs & bullet feet, NSF, KD		
	1 ea	CUT1620124 Weld-In Undermount Sink, one compartment, 16"W x 20"L x 12"D, 14/300 stainless steel fabricated bowl, includes cutout, bowl, faucet holes & welding/polishing (Not available for FBLG & UFBLG)		
	1 ea	PB-SCP1620 Sink Cover, 16" x 20", 3/4" poly		
	1 ea	DR2020-S30 Drawer, for 30"D work tables, 20"W x 20"D x 5" deep, stainless steel front & drawer pan, roller bearing slides, NSF, for stainless steel table tops only		
<b>ITEM TOTAL:</b>				
7.1	1 ea	<b>DECK MOUNT FAUCET</b> T&S Brass Model No. 5F-4DWS09 Equip Base Faucet, swivel, 4", deck mount, 9" swing gooseneck, ceramic cartridge, wrist handles, laminar flow device, includes: supply nipple kit, 1/2" NPT, NSF, ADA compliant		
8	1 ea	<b>FRENCH FRY CUTTER</b> By Others Model No. NIC French Fry Cutter		<Existing>
9	1 ea	<b>WORK TABLE</b> By Others Model No. NIC WORKTABLE - EXISTING		<Existing>
10	1 ea	<b>WORK TABLE</b> By Others Model No. NIC WORKTABLE - EXISTING		<Existing>
11	1 ea	<b>MEAT SLICER</b> By Others Model No. NIC Slicer		<Existing>
	1 ea	Berkel 1 year parts, service & travel warranty (excluding wear items), standard		
12	1 ea	<b>FOOD PROCESSOR</b> By Others Model No. NIC FOOD PROCESSOR - EXISTING		<Existing>
13	1 ea	<b>FOOD PACKAGING MACHINE</b> Vollrath Model No. 40833 Model VP16 Large In-chamber Vacuum Pack Machine, 18-7/8"W x 20-3/4"D x 18"H overall, (16-13/16"W x 16-1/2"D x 5"H chamber size), (2) 16" removable seal bars, accommodates bags up to 16", set vacuum to desired time control or sensor control (% pressure) (10) programs, liquid control & soft air option, features Busch pump, 120v/60/1-ph, 13 amp, 6 ft cord with NEMA 5-20P, 2 year warranty, cETLus, ETL-Sanitation		
14		<b>SPARE NO.</b>		
15	1 ea	<b>WORKTOP FREEZER</b>		

7852206

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
		Hoshizaki Model No. CRMF48-W Commercial Series Worktop Freezer, reach-in, two section, 18.66 cu.ft., self-contained refrigeration system, stainless steel exterior front, sides & top, solid hinged doors, (2) adjustable shelves, (4) 6" stem casters (2 with brakes), R-134A refrigerant, 1/3 hp, cULus, NSF, ENERGY STAR®		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 6.0 amps, 8 ft cord with NEMA 5-15P		
16	1 ea	<b>REFRIGERATED WORK TOP</b> Hoshizaki Model No. CRMR27-W Commercial Series Worktop Refrigerator, reach-in, one section, 7.2 cu.ft., self-contained refrigeration system, stainless steel exterior front, sides & top, solid hinged door, (1) adjustable shelves, (4) 6" stem casters (2 with brakes), R-134A refrigerant, 1/6 hp, cULus, NSF, ENERGY STAR®		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 2.6 amps, NEMA 5-15P		
17	1 ea	<b>MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR</b> Hoshizaki Model No. CRMR72-30M Commercial Series Mega Top Refrigerator, reach-in, three section, 19.7 cu.ft., self-contained refrigeration system, provided with (30) 1/6 pans 4" deep, 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel exterior front, sides & top, solid hinged doors, (3) adjustable shelves, (4) 6" casters (2 with brakes), R-134A refrigerant, 1/3 hp, cULus, NSF		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 5.5 amps, NEMA 5-15P		
18	1 ea	<b>TILTING SKILLET, GAS</b> Southbend Model No. BGLTS-30 Tilting Skillet, gas, 30 gallon capacity, electric tilt mechanism, electronic ignition, removable lip strainer, spring assisted cover, stainless steel interior and exterior finish, open frame base, 80,000 BTU, CSA		
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016		
	1 ea	Standard one year limited warranty		
	1 ea	Natural Gas		
	1 ea	Voltage to be specified		
	1 ea	GMS-30 Permanent etched interior markings, for 30 gallon braising pan (specify gallon or liter markings)		
	1 ea	SF-12 12" single pantry faucet		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr		



7852706

Item	Qty	Description	Sell	Sell Total
minimum flow capacity, limited lifetime warranty				
<b>ITEM TOTAL:</b>				
19	1 ea	SMOKER By Others Model No. NIC SMOKER - EXISTING		<Existing>
20	1 ea	RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36A S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) convection oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (2) racks, stainless steel front, sides, shelf, 4" front rail & .6" adjustable legs, 203,000 BTU, CSA, NSF 1 ea Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016 1 ea Standard one year limited warranty (range) 1 ea Natural Gas 1 ea Casters, 2 locking & 2 standard, in lieu of legs		
<b>ITEM TOTAL:</b>				
20.1	1 ea	SAFETY SYSTEM MOVEABLE GAS CONNECTOR Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
21	1 ea	EXHAUST HOOD By Others Model No. NIC EXHAUST HOOD NIC BY MECH CONTRACTOR DIV 23		<NIC>
22	2 ea	SHELVING, WALL-MOUNTED John Boos Model No. EW58-1672-X Shelf, wall-mounted, 72"W x 16"D, finished with stallion safety edge front, 1-1/2" turned up backplash, (3) support brackets, 18/300 series stainless steel with # 4 polish, NSF, KD (FLYER NET PRICING)		
23	1 ea	HAND SINK By Others Model No. NIC Hand Sink - EXISTING		<Existing>
24	1 ea	EXHAUST HOOD By Others Model No. NIC EXHAUST HOOD NIC BY MECH CONTRACTOR DIV 23		<NIC>
25	1 ea	COUNTERTOP GRIDDLE Southbend Model No. HDG-36 Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 90,000 BTU, CSA, NSF 1 ea Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016 1 ea Standard one year limited warranty		



785220-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
	1 ea	Natural Gas		
	1 ea	HDCS-36 Counterline Stand, 36", undershelf, stainless steel construction, adjustable bullet feet, CSA, NSF		
	1 ea	Casters (factory installed ONLY)		
<b>ITEM TOTAL:</b>				
25.1	1 ea	<b>SAFETY SYSTEM MOVEABLE GAS CONNECTOR</b> Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
26	1 ea	<b>HD RANGE, 36" HOT TOP</b> Southbend Model No. P36D-GRAD Platinum Heavy Duty Range, gas, 36", graduated hot top, manual controls; battery spark ignition, (1) standard oven, includes (2) racks, stainless steel front, sides, rear, exterior bottom & 6" adjustable legs, 107,000 BTU, CSA, NSF  1 ea Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016 1 ea Standard (3) years limited parts and labor warranty (reference warranty document for details) 1 ea NOTE: 5" flue riser, standard 1 ea Gas type to be specified (gas pressure regulator required for individual unit) 1 ea P36-RAD Platinum Compact Radiant Broiler, gas, 36", riser mount, dual valve control, counter balanced rack system, stainless steel front & sides, 40,000 BTU, CSA, NSF 1 ea Standard (3) years limited parts and labor warranty (reference warranty document for details) 1 ea Natural Gas		
<b>ITEM TOTAL:</b>				
26.1	1 ea	<b>SAFETY SYSTEM MOVEABLE GAS CONNECTOR</b> Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
27	1 ea	<b>RANGE, 36", 4 OPEN BURNERS</b> Southbend Model No. 4367D Ultimate Restaurant Range, gas, 36", (4) pyromax burners, standard grates, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 205,000 BTU, CSA, NSF  1 ea Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016 1 ea Standard one-year limited warranty (range)		

Range

Initial: *MC*  
Page 5 of 18

785220-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
	1 ea	NOTE: 22.5" high flue riser, with heavy duty shelf, standard		
	1 ea	Specify Gas Type		
27.1	1 ea	<b>SAFETY SYSTEM MOVEABLE GAS CONNECTOR</b> Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
28	1 ea	<b>CHARBROILER</b> Southbend Model No. HDG-36 Charbroiler, gas, countertop, 36", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 120,000 BTU, CSA, NSF		
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016		
	1 ea	Standard one year limited warranty		
	1 ea	Natural Gas		
	1 ea	HDGS-36 Counterline Stand, 36", undershelf, stainless steel construction, adjustable bullet feet, CSA, NSF		
	1 ea	Casters (factory installed ONLY)		
<b>ITEM TOTAL:</b>				
28.1	1 ea	<b>SAFETY SYSTEM MOVEABLE GAS CONNECTOR</b> Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
29	2 ea	<b>FRYER</b> Pitco Frylator Model No. 65C+S Fryer, gas, floor model, 65-80 lb. oil capacity, millivolt control, stainless steel tank, door & front, 150,000 BTU, CSA, NSF		
	2 ea	1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of manufacture (with appropriate documentation), standard		
	1 ea	Gas to be determined		
	2 ea	P6072184 Basket, (2) oblong/twin size, 17-1/4" x 8-1/2" x 5-3/4" deep, front handle, regular mesh (shipped std for models 65C+, SG18, SE18, SS175, fryer batteries shipped with (2) per fryer		
	2 ea	6" legs, standard		
29.1	2 ea	<b>SAFETY SYSTEM MOVEABLE GAS CONNECTOR</b> Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		

Initial: MT  
Page 6 of 18

785220-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
30	1 ea	<b>COMBI OVEN</b> Alto-Shaam Model No. CTC20-10G CombiTherm® CT Classic™ Combi Oven/Steamer, gas, boilerless, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 13" half size sheet or (20) 12" x 20" full size hotel pan (1/1 GN) capacity, classic control with steam/convection/combi cooking modes, SafeVent™ steam venting, CombiClean™ with (1) cleaning level, CoolTouch3™ glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 140,000 BTU, EcoSmart®, eLLus, UL EPH ANSI/NSF 4, CE, IP X5, Gastec		
	1 ea	12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)		<Included>
	1 ea	It is the sole responsibility of the owner/operator/purchaser of this equipment to verify that the incoming water supply is comprehensively tested and, if required, provide a means of water treatment that would meet the compliance requirements with the manufacturers water quality standards published on the product spec sheet. Non-compliance with these minimum standards will potentially damage this equipment and/or components and VOID the original equipment manufacturers warranty		
	1 ea	CombiTherm Factory Authorized Installation Program, for Roll-In units (First unit only) ((NET) NO FURTHER DISCOUNTS APPLY)		
	1 ea	Installation Program includes: 1. Travel within 60 miles (120 miles round-trip) of installer 2. Pre-installation site survey 3. Professionally reviewed and managed installation process 4. Assembly of purchased equipment 5. Assembly of any accessories 6. Placement and leveling of unit 7. Connection to existing utilities within three feet of unit 8. Mechanical to ensure proper function (Note: Installation of units outside of the 60 mile radius will require additional travel charges payable by the customer)		
		Installation Program does not include: 1. Delivery to end user location 2. Unit must be within five feet of and have a clear and unobstructed path to final destination 3. Special licensing or permits 4. Overtime travel or labor 5. Removal of packing material 6. Removal and scrapping of old unit 7. Installation kit		
	1 ea	Natural gas		
	1 ea	120V/60/1-ph, 13.0 amps, 1.7kW, 12 AWG, NO cord or plug		
	1 ea	5017975/NT Roll-In Pan Cart, 20 shelf pan trolley, 2-9/16" vertical spacing, fits 20-10E, 20-10G, 20-20MW and QC2-100, stainless steel construction, (4) casters (2 locking)		
	1 ea	NOTE: Security options not available on recessed door models		

ITEM TOTAL:

785270-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
30A	1 ea	<b>COMBI OVEN</b> Alto-Shaam Model No. CTP20-10G Combitherm® CT PROformance™ Combi Oven/Steamer, gas, boiler-free, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 13" half size sheet or (20) 12" x 20" full size hotel pan (1/1 GN) capacity, PROtouch control with steam/convection/combi and retherm cooking modes, programmable cool-down, SafeVent™ steam venting, single point removable probe, CombiClean.PLUS™ with (5) cleaning levels, CoolTouch3™ glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 160,000 BTU, EcoSmart®, cULus, UL EPH ANSI/NSF 4, CE, IP X5, Gastec		<Alternate>
	1 ea	12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)		<Alternate> <Included>
	1 ea	It is the sole responsibility of the owner/operator/purchaser of this equipment to verify that the incoming water supply is comprehensively tested and, if required, provide a means of water treatment that would meet the compliance requirements with the manufacturers water quality standards published on the product spec sheet. Non-compliance with these minimum standards will potentially damage this equipment and/or components and VOID the original equipment manufacturers warranty		<Alternate>
	1 ea	Combitherm Factory Authorized Installation Program, for Roll-in units (First unit only) ((NET) NO FURTHER DISCOUNTS APPLY)		<Alternate>
	1 ea	Installation Program includes: 1. Travel within 60 miles (120 miles round-trip) of installer 2. Pre-installation site survey 3. Professionally reviewed and managed installation process 4. Assembly of purchased equipment 5. Assembly of any accessories 6. Placement and leveling of unit 7. Connection to existing utilities within three feet of unit 8. Mechanical to ensure proper function (Note: installation of units outside of the 60 mile radius will require additional travel charges payable by the customer)		<Alternate>
		Installation Program does not include: 1. Delivery to end user location 2. Unit must be within five feet of and have a clear and unobstructed path to final destination. 3. Special licensing or permits 4. Overtime travel or labor 5. Removal of packing material 6. Removal and scrapping of old unit 7. Installation kit		
	1 ea	Natural gas		<Alternate>
	1 ea	Combi Oven/Steamer Unit, without CombiSmoker option, standard		<Alternate>
	1 ea	120v/60/1-ph, 13.6 amps, 1.7kW, 14 AWG, NO cord or plug		<Alternate>
	1 ea	5017975/NT Roll-In Pan Cart, 20 shelf pan trolley, 2-9/16" vertical spacing, fits 20-10E, 20-10G, 20-20MW and QC2-10D, stainless steel construction, (4) casters (2 locking)		Alternate>

785220-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
	1 ea	NOTE: Security options not available on recessed door models		<Alternate>
ITEM TOTAL: <Alternate>				
30.1	1 ea	SAFETY SYSTEM MOVEABLE GAS CONNECTOR Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
30.2	1 ea	WATER FILTRATION SYSTEM Everpure Model No. EV9797-Z2 KleenSteam® II Twin System, total system for boiler base steamers, 5.0 gpm flow rate, deliming (2) 7CB5 carbon filter, SS-10 scale inhibitor Cartridge, dip tube, pressure gauge, water shut-off valve & wall bracket		
	1 ea	Note: This system requires (2) cartridges.		
31	1 ea	REACH-IN REFRIGERATOR Hoshizaki Model No. CR2S-FS Commercial Series Refrigerator, reach-in, two section, 50.5 cu.ft., self-contained refrigeration, solid state digital controller with temperature alarms & LED display, stainless steel exterior front & sides, stainless steel interior, full height solid hinged doors, (6) standard shelves, (4) 4" heavy duty casters (2 with brakes), R-134a refrigerant, 1/4 hp, cETLus, ETL-Sanitization		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 5.8 amps, NEMA 5-15P		
	1 ea	Left door hinged on left, standard		
	1 ea	Right door hinged on right, standard		
	1 st	4" casters (set of 4) standard		
32	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Hoshizaki Model No. CRMR48-18M Commercial Series Mega Top Refrigerator, reach-in, two section, 13.66 cu.ft., self-contained refrigeration system, provided with (18) 1/6 pans 4" deep, 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel exterior front, sides & top, solid hinged doors, (2) adjustable shelves, (4) 6" casters (2 with brakes), R-134A refrigerant, 1/6 hp, cULus, NSF.		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 2.9 amps, NEMA 5-15P		
33	1 ea	SHELVING, WALL-MOUNTED John Boos Model No. BHS1672-14/304 Shelf, wall-mounted, 72"W x 16"D, 14/300 stainless steel, Stalljon safety edge front, 1-1/2" turned up backsplash, NSF, KD		
	1 ea	0211D/SHELF 1-1/2" Wall Shelf turned up left & right end splash		
ITEM TOTAL:				
34	2 ea	WORK TABLE		

785220-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
	2 ea	John Boos Model No. ST4-3060SSK Work Table, 60"W x 30"D, 14/300 stainless steel flat top with Stallion safety edge front & back, 90° turndown on sides, 18 gauge stainless steel adjustable undershelf, stainless steel legs & bullet feet, NSF, KD		
	2 ea	O213B Marine edge		
<b>ITEM TOTAL:</b>				
35	2 ea	COFFEE WARMER By Others Model No. NIC RWS1 Warmer for Satellite Brewers - EXISTING		<Existing>
	2 ea	Bunn Equipment discount category net prices must be rounded to the nearest dollar		
36	2 ea	HOT WATER DISPENSER By Others Model No. NIC HSX Element Hot Water Dispenser - EXISTING		<Existing>
	2 ea	Bunn Equipment discount category net prices must be rounded to the nearest dollar		
37	2 ea	TEA BREWER By Others Model No. NIC Iced Tea Brewer		<Existing>
	2 ea	Bloomfield 2 year parts & labor warranty, standard		
38	2 ea	SODA ICE & BEVERAGE DISPENSER By Others Model No. NIC Soda Ice & Beverage Dispenser		<Existing>
39	1 ea	PAN RACK, BUN By Others Model No. NIC Pan Rack, mobile - EXISTING		<Existing>
	1 ea	Carter-Hoffmann 1 Year parts & labor warranty, standard		
40	1 ea	HEATED BANQUET CART Alto-Shaam Model No. 1000-802/96 Halo Heat® Banquet Cart, 96 plate capacity, ON/OFF power switch, up and down arrow keys, heat indicator light, temperature display key, digital display, electronic control, solid doors, stainless steel construction, (4) 6" heavy duty casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, UL EPH ANSI/NSF 4, CE, IP X4, TUV NORD, EAC		<Included>
	1 ea	12 month extended warranty to begin at the end of std. warranty & continue for 12 additional months (net)		
	1 ea	120v/60/1-ph, 12.5 amps, 1.5kW, 5 ft. cord, NEMA 5-15P		
	1 ea	Door hinging: right-hand swing, standard		
41	1 ea	HAND SINK By Others Model No. NIC Hand Sink - EXISTING		<Existing>
42	1 ea	THREE (3) COMPARTMENT SINK By Others Model No. NIC 3 Compartment Sink		<Existing>
43	1 ea	SOILED DISHTABLE By Others Model No. NIC SOILED DISHTABLE - EXISTING		<Existing>

7852206

		TriMark SS Kemp	12/05/2016
Item	Qty	Description	Sell Sell Total
44	1 ea	DISHWASHER By Others Model No. NIC Ventless Door Type Dishwasher - EXISTING	<Existing>
45	1 ea	CLEAN DISHTABLE By Others Model No. NIC Clean Dishtable.	<Existing>
46	1 ea	DISHTABLE SORTING SHELF By Others Model No. NIC Standard Slanted Rack Shelf, wall mount, 42" long - EXISTING	<Existing>
47	1 ea	REACH-IN FREEZER Hoshizaki Model No. CF35-FS Commercial Series Freezer, reach-in, three section, 73.3 cu.ft., self-contained refrigeration system, solid state digital controller with temperature alarms & LED display, stainless steel exterior front & sides, stainless steel interior, standard depth, full height solid hinged doors, (9) standard shelves, (6) 4" heavy duty casters 3 with brakes), R-404A refrigerant, 1/2 hp & 5/8 hp, cETLus, ETL-Sanitation	
	1 ea	Warranty: 3-Year parts & labor on entire machine	
	1 ea	Warranty: 5-Year parts on compressor	
	1 ea	115/208-230v/60/1-ph, 9.5 amps, NEMA L14-20P	
	1 ea	Left door hinged on left, standard	
	1 ea	Center door hinged on right, standard	
	1 ea	Right door hinged on right, standard	
	1 st	4" Heavy duty casters (set of 6) standard	
48	2 ea	WORK TABLE WITH WOOD TOP John Boos Model No. SNB14-X Work Table, 48"W x 36"D, 1-3/4" laminated Hard Rock maple flat top, stainless steel legs & bullet feet, side & rear adjustable bracing, NSF, KD (FLYER NET PRICING)	
	2 ea	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories	
49	1 ea	REACH-IN UNDERCOUNTER REFRIGERATOR Hoshizaki Model No. CRMR27 Commercial Series Undercounter Refrigerator, reach-in, one section; 7.2 cu.ft., self-contained refrigeration system, stainless steel exterior front, sides & top, solid hinged door, (1) adjustable shelves, (4) 4" stem casters (2 with brakes), R-134A refrigerant, 1/6 hp, cULus, NSF, ENERGY STAR®	
	1 ea	Warranty: 3-Year parts & labor on entire machine	
	1 ea	Warranty: 5-Year parts on compressor	
	1 ea	115v/60/1-ph, 2.6 amps, NEMA 5-15P	
50	2 ea	SHELVING, WALL-MOUNTED John Boos Model No. BHS1672-14/304 Shelf, wall-mounted, 72"W x 16"D, 14/300 stainless steel, Stallion safety edge front, 1-1/2" turned up backsplash, NSF, KD	
	2 ea	0211D/SHELF 1-1/2" Wall Shelf turned up left & right end splash	

ITEM TOTAL:

7852706

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
51	1 ea	<b>SHELVING, WALL-MOUNTED</b> John Boos Model No. BHS1660-14/304 Shelf, wall-mounted; 60"W x 16"D, 14/300 stainless steel, Stallion safety edge front, 1-1/2" turned up backsplash, NSF, KD		
52	1 ea	<b>ICE CUBER</b> By Others Model No. NIC Ice Maker, Cube-Style - EXISTING	<Existing>	
	1 ea	Hoshizaki Warranty: 3-Year parts & labor on entire machine		
	1 ea	Hoshizaki Warranty: 5-Year parts on compressor & air-cooled condenser		
	1 ea	Hoshizaki Above warranties valid in US, Canada, Puerto Rico & US Territories only, contact factory for other countries		
53	1 ea	<b>ICE BIN FOR ICE MACHINES</b> By Others Model No. NIC Ice Bin - EXISTING	<Existing>	
	1 ea	Hoshizaki Warranty: 3-Year parts & labor for bin		
54	6 ea	<b>GARBAGE CAN</b> Rubbermaid Model No. FG354060BLA Slim Jim® Container, 23 gallon, 22"W x 11"D x 30"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, black		
55	1 ea	<b>WORK TABLE</b> John Boos Model No. ST4-3660SSK Work Table; 60"W x 36"D, 14/300 stainless steel flat top with Stallion safety edge front & back, 90° turndown on sides, 16 gauge stainless steel adjustable undershelf, stainless steel legs & bullet feet, NSF, KD		
55.1	1 ea	<b>WORK TABLE</b> John Boos Model No. ST4-3048SSK Work Table, 48"W x 30"D, 14/300 stainless steel flat top with Stallion safety edge front & back, 90° turndown on sides, 18 gauge stainless steel adjustable undershelf, stainless steel legs & bullet feet, NSF, KD		
56	1 ea	<b>WORK TABLE WITH WOOD TOP</b> John Boos Model No. SNB15-X Work Table, 60"W x 36"D, 1-3/4" laminated Hard Rock maple flat top, stainless steel legs & bullet feet, side & rear adjustable bracing, NSF, KD (FLYER NET PRICING)		
	1 ea	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories		
57	3 ea	<b>DECORATIVE LAMP</b> Hateco Model No. DL-400-CTL Decorative lamp, (1) bulb type, 8-1/2" H x 6-1/8" Dia. shade, cord mount (overall length from 17" to any length) to track adapter, lower switch location, No bulb included (specify finish), CE, cULus, UL EPH Classified, ANSI/NSF 4, Made in USA		
	1 ea	NOTE: Sale of this product must comply with Hateco's Minimum Resale Price Policy; consult order acknowledgement for details		
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 800-558-0607		
	1 ea	NOTE: The decorative lamp and luminaires are NOT returnable		



785720-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
	3 ea	120v/60/1-ph, 250 watt (Decorative lamp only) standard		
	3 ea	WHITE-CTD-120 Lamp Bulb, 250.Watt-clear, coated		
	3 ea	DL-CORD-BK Black Cord, (CL, CU, CT, RL mounts only), (black is standard) (Not for retrofit)		
	1 ea	DL-TRACK-4B Track Mount Bar, 4', black		
	3 ea	BNIICKEL Bright Nickel plated finish (Not for retrofit) special process required and extended lead times		
	3 ea	Color to match unit finish		
	1 ea	NOTE: This finish is a special process and requires extended lead time		
	3 ea	UP TO 72" Overall Length - Up to 72" (specify to the nearest inch) (Not for retrofit)		

ITEM TOTAL:

58.	15 ea	DRY STORAGE SHELVING UNITS Centaur Model No. AS SPECIFIED Dry Storage Shelving Units to consist of the following:		
	5 ea	C1824K Centaur® Shelving, wire, 24"W x 18"D, green epoxy, NSF		
	50 ea	C1860K Centaur® Shelving, wire, 36"W x 24"D, green epoxy, NSF Limited 7 year warranty against corrosion on all green epoxy shelves, posts & accessories		
	5 ea	C2436K Centaur® Shelving, wire, 36"W x 24"D, green epoxy, NSF Limited 7 year warranty against corrosion on all green epoxy shelves, posts & accessories		
	15 ea	C2448K Centaur® Shelving, wire, 48"W x 24"D, green epoxy, NSF		
	60 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	30 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	30 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		

ITEM TOTAL:

59	2 ea	STORAGE SHELVING UNITS Centaur Model No. AS SPECIFIED Dry Storage Shelving Units to consist of the following:		
	1 ea	C1848K Centaur® Shelving, wire, 36"W x 24"D, green epoxy, NSF Limited 7 year warranty against corrosion on all green epoxy shelves, posts & accessories		
	1 ea	C1824K Centaur® Shelving, wire, 36"W x 24"D, green epoxy, NSF Limited 7 year warranty against corrosion on all green epoxy shelves, posts & accessories		
	3 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	4 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	4 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		

ITEM TOTAL:

60	3 ea	WALK-IN COOLER STORAGE SHELVING UNITS		
----	------	---------------------------------------	--	--

785270-6

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
		Centaur Model No. AS SPECIFIED		
		Dry Storage Shelving Units to consist of the following:		
	8 ea	C2448K Centaur® Shelving, wire, 48"W x 24"D, green epoxy, NSF		
	4 ea	C2472K Centaur® Shelving, wire, 72"W x 24"D, green epoxy, NSF		
	12 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	6 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	6 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		
		ITEM TOTAL:		
61	1 ea	STORAGE SHELVING UNITS		
		Centaur Model No. AS SPECIFIED		
		Dry Storage Shelving Units to consist of the following:		
	5 ea	C2472K Centaur® Shelving, wire, 72"W x 24"D, green epoxy, NSF		
	4 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	2 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	2 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		
		ITEM TOTAL:		
69		SPARE NO.		
63	4 ea	DISH STORAGE SHELVING UNITS		
		Centaur Model No. AS SPECIFIED		
		Dry Storage Shelving Units to consist of the following:		
	5 ea	C2460K Centaur® Shelving, wire, 60"W x 24"D, green epoxy, NSF		
	5 ea	C2424K Centaur® Shelving, wire, 24"W x 24"D, green epoxy, NSF		
	5 ea	C2436K Centaur® Shelving, wire, 36"W x 24"D, green epoxy, NSF		
	5 ea	C2472K Centaur® Shelving, wire, 72"W x 24"D, green epoxy, NSF		
	16 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	8 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	8 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		
		ITEM TOTAL:		
64	3 ea	POT STORAGE SHELVING UNITS		
		Centaur Model No. AS SPECIFIED		
		Dry Storage Shelving Units to consist of the following:		
	10 ea	C1824K Centaur® Shelving, wire, 24"W x 18"D, green epoxy, NSF		
	5 ea	C1460K Centaur® Shelving, wire, 60"W x 14"D, green epoxy, NSF		
	12 ea	C74UK Centaur® Mobile Post, 73-7/8"H, casters sold separately (5" caster adds approx 6" to overall height) green epoxy		
	6 ea	C5 Centaur® Caster, 5" x 1-1/4", stem/swivel, 200 lb. capacity, resilient wheel tread		
	6 ea	C5B Centaur® Caster, 5" x 1-1/4", stem/brake, 200 lb. capacity, resilient wheel tread		

7852206

TriMark SS Kemp

12/05/2016

Item	Qty	Description	Sell	Sell Total
		wheel tread		
ITEM TOTAL:				
65		SPARE NO.		
66	1 ea	UTENSIL RACK FMP Model No. 137-1193 Utensil Rack, 36" W, wall mount, includes: (12) 5-3/8" steel plated hooks, (2) 1" phillips head screws, heavy-duty aluminum, satin finish		
67	1 ea	REFRIGERATED WORK TOP Beverage Air Model No. WTR72AY Worktop Refrigerator, three-section, 72" W, 21.5 cu. ft., (3) solid doors, (6) shelves, stainless steel front, 1/2" thick top and sides, aluminum interior, 4" removable backsplash, side-mounted self-contained refrigeration, 6" casters, 1/3 HP, UL, cUL, UL EPH, MADE IN USA		
	1 ea	3 years parts & labor warranty (excludes maintenance items)		
	1 ea	Self-contained refrigeration standard.		
	1 ea	Additional 2-yr compressor warranty, standard		
	1 ea	115v/60/1-ph, 8.2 amps, standard		
	1 ea	6" Heavy duty casters, standard		
	1 ea	6" Legs, in lieu of standard 6" heavy duty casters, no charge when specified on order		<Optional>
68	2 ea	HEAT LAMP Hatco Model No. GRAHL-48 Glo-Ray® Infrared Foodwarmer, high wattage, tubular metal heater rod with lights, single heater rod housing, aluminum construction, 1340 watts, NSF, cUL, UL		
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details		
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 800-558-0607		
	2 ea	One year on-site parts and labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements		
	2 ea	120v/60/1-ph		
	2 ea	BLT TOG-2 (2) Built-in toggle controls (remote recommended) (Not for retrofit)		
ZZ	1 ea	FREIGHT -		
Freight		DESCRIPTIVE PURPOSES Model No. 99 Incoming/ Outgoing Freight items Delivered to Kemp for consolidation, to be brought to Hotel Deco on a dedicated truck.		
ZZ	1 ea	PROJECT MANAGER/DESIGN LABOR		
ProMgmt		DESCRIPTIVE PURPOSES Model No. 398 PROJECT MANAGER/DESIGN LABOR to include on site project management and coordination with General Contractor to facilitate on time delivery and receiving of equipment.		
ZZ	1 ea	INSTALL EQUIPMENT		

7857206

TriMark SS Kemp

12/05/2016

Item	Qty.	Description	Sell	Sell Total
------	------	-------------	------	------------

Install  
Equip

Custom Model No. INSTALL EQUIPMENT  
INSTALL EQUIPMENT

Unload and Install Items 1-65 on FSE plans  
 Plumbing fixtures set by others  
 All FSE equipment to be connected and started by GT  
 Factory Start up on all equipment per manufacturers specs  
 Price does not include any electrical or plumbing work.  
 Price does not include any hardware modification.  
 Delays or additional trips required due to circumstances outside of  
 Goodwin Tucker control will result in additional charges.  
 Any work performed outside of this scope will result in additional  
 charges.

---

Merchandise  
 Installation  
 Total