COUNTER_	LM C.E. M	
VERIFY	M D.E. M	
PROOF		
FEES \$	94.00	
CHECK#	7014648	
CHG	CASH	
REFUND	CREDIT	

SHORT _____NCR ____

FILED SARPY COUNTY NEBRASKA INSTRUMENT NUMBER

2016-28009

10/31/2016 11:27:28 AM

ΟΛ. 0

REGISTER OF DEEDS

ł

(Drafted by & when filed return to: Magellan Pipeline Company, L.P., P O Box 22186, OTC-8 (S. GUTHRIE) Tulsa, OK 74121-2186, 918.574.7350) (Drafted by & when filed return to: Magellan Pipeline Company, L.P., P. O. Box 22186, MD 27-4 (S. Guthrie), Tulsa, Oklahoma 74121-2186, 918/574-7350.)

ENCROACHMENT AGREEMENT

This Encroachment Agreement ("Agreement") is made and entered into by and between Magellan Pipeline Company, L.P., a Delaware limited partnership, whose address is P.O. Box 22186, Tulsa, Oklahoma, 74121-2186, (hereinafter called "Magellan"), and Stone Creek Plaza, LLC, a Nebraska limited liability corporation, whose mailing address is 11205 S. 150th St, Omaha, Nebraska 68138, its heirs, successors, assigns and grantees (hereinafter called "Owner").

WITNESSETH:

WHEREAS, Owner represents and warrants that Owner owns all of the following described tract of land located in Sarpy County, Nebraska (which land is hereinafter referred as "Owner's Land") and has full right and power to make this Agreement:

PART OF THE SOUTH HALF (S/2) OF THE NORTHEAST QUARTER (NE/4) OF SECTION 29, T14N, R12E OF THE 6TH P.M., SARPY COUNTY, NEBRASKA; and,

WHEREAS, Magellan is the owner of certain pipelines, pipeline facilities and appurtenances (hereinafter referred to as the "Magellan Facilities") and easement rights therefor, (hereinafter referred to as the "Easement", whether or not rights were granted in one or more documents or acquired by operation of law). For purposes of this Agreement only, "Magellan's Easement Tract" shall be considered to be any area within Fifty (50) feet of any Magellan Facilities, unless a different right of way tract width is specifically described in the Easement, in which case such specified width shall define Magellan's Easement Tract. The land referenced in the includes Easement portion the Northeast (NE¹/₄) a of Quarter of Section 29, Township 14 North, Range 12 East, Sarpy County, Nebraska, attached hereto as Exhibit "A", pursuant to those certain instruments recorded in the records of said county and state and described as follows:

- Right of Way Agreement as to a pipe line or pipe lines dated May 8th, 1941, from Daniel R. Schobert and Lucy S. Schobert, his wife, in favor of Socony-Vacuum Oil Company, Incorporated (Magellan's predecessor in title), its successors and assigns, and filed for record in Book 10 of Misc., 533 of the Sarpy County Deed Records; and
- 2) Partial Release and Grant of Right of Way Agreement as to a pipeline or pipe lines dated January 8th, 2015, from Robert J. Haug, Trustee, and Robert J. Haug, Trustee of the Robert J. Haug Revocable Trust dated March 30, 2000, and Paul A. Haug, Trustee, in favor of Magellan Pipeline Company, L.P., its successors and assigns, instrument number 2015-00883, of the Sarpy County Deed Records; and

! "·

1

WHEREAS, for the purposes of this Agreement an "Encroachment" is defined as any use of the land within Magellan's Easement Tract by someone other than Magellan, which could interfere with Magellan's Easement rights or could create safety concerns related to Magellan's Facilities as more fully described in Magellan's *General Encroachment Requirements* as set forth in attached Exhibit "B" and incorporated herein by reference. Magellan does not permit or authorize any Encroachments unless specifically approved in a written agreement identifying all "Approved Encroachments"; and

WHEREAS, Owner desires to obtain Magellan's consent for one or more Encroachments on Magellan's Easement Tract;

NOW, THEREFORE, in consideration of the covenants and agreements herein and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, **Magellan**, subject to the following terms and provisions, hereby consents to the **Encroachments** listed below as "**Approved Encroachments**" described and limited pursuant to the following specified plan drawings, which were furnished by **Owner** to **Magellan** ("**Plan Drawings**") and attached hereto as **Exhibit "C"**:

Granite Falls North Preliminary Plat, dated May 18, 2016, Project Number P2013.604.001.

TERMS AND PROVISIONS

- 1. <u>Approved Encroachments.</u> The Approved Encroachments, as further identified, described and limited in the **Preliminary Plat** as set forth in **Exhibit "C"** are limited to the following:
 - (a) Lots 4,5,6,7,8,9,10,11,12,13,14,15 and Outlots "A", "I", "J", K", "L" of the Granite Falls North
 - (b) 2- 50 foot wide streets; Cove Hollow Dr. and Superior Dr.
 - (c) Buried water, gas sewer and electrical utilities to cross Magellan's pipeline as needed but limited to as close to as possible to a 90 degree crossing and shall not parallel the pipeline inside the easement.
- 2. <u>No Other Encroachments.</u> Except for the Approved Encroachments as allowed by this Agreement, Owner shall not create, erect, place or construct any other Encroachment on, above or below the surface of the ground on Magellan's Easement Tract, or change the grade or elevation of the ground surface within Magellan's Easement Tract or at any time plant or allow any trees thereon or cause or permit any of these to be done by others, without the express prior written permission of Magellan.

3. Magellan On-Site Representative. Exclusive of Saturday, Sunday, and legal holidays, Owner shall notify Magellan a minimum of 48 hours in advance of any Encroachment activities on Magellan's Easement Tract so that Magellan may arrange to have a representative present. At Magellan's option and at Owner's sole cost and expense, Magellan's representative may be on site during all Encroachment activities over or within ten feet (10') of the Magellan Facilities to confirm that no damage occurs to the Magellan Facilities. The presence of Magellan's representative or any verbal instructions given by such representative shall not relieve **Owner** of any liability under the **Easement** or this Agreement, and will not change the terms of the Easement or this Agreement, which may only be changed by written agreement by authorized representatives of Owner and Magellan. If pipeline, coating, cathodic protection and/or any other repair of Magellan Facilities is required by Magellan or if the safety of the Magellan Facilities is jeopardized, in Magellan's sole judgment, Owner shall stop all construction activities on Magellan's Easement Tract until said repairs are completed or until any unsafe construction practices are resolved to the satisfaction of Magellan's on-site representative. Written notification of such construction activity shall be made to MAGELLAN PIPELINE COMPANY, Coordinator of Operations & Maintenance, 912 First Ave, Coralville, IA 52241, Office:(319) 337-8251, Cell: (515) 210-5808, Fax: (319) 354-8448, or such other representative of Magellan, which Magellan may from time to time designate.

- 4. <u>Protection of Magellan Facilities.</u> Owner shall protect the Magellan Facilities if excavating and backfilling become necessary within Magellan's Easement Tract. If excavating within 2 feet of any Magellan pipeline or when otherwise deemed necessary by Magellan's on-site representative, Owner shall perform any necessary digging or excavation operations by hand digging. Owner shall reimburse Magellan for all costs of having a representative of Magellan on-site during construction activities related to the Approved Encroachments.
- 5. <u>Breach.</u> If either Owner or Magellan breaches this Agreement and the non-breaching party commences litigation to enforce any provisions of this Agreement, the reasonable cost of attorneys' fees and expenses will be payable to the non-breaching party by the breaching party upon demand, for all claims upon which the non-breaching party prevails.
- 6. <u>Insurance.</u> Owner shall procure or cause its contractors and subcontractors to procure and maintain in force throughout the entire term of this Agreement insurance coverage described below with insurance companies acceptable to Magellan for work performed related to the construction of the Approved Encroachments. All costs and deductible amounts will be the responsibility and obligation of the Owner or its contractors and subcontractors. Prior to commencing any activities related to the construction of the Approved Encroachments, the Owner must deliver to Magellan certificate(s) of insurance, naming Magellan Midstream Partners, L.P. and its Affiliates as an additional insured. The limits set forth below are minimum limits and will not be construed to limit the Owner's liability:

- (a) Workers' Compensation insurance complying with the laws of the State or States having jurisdiction over each employee and Employer's Liability insurance with limits of \$1,000,000 per accident for bodily injury or disease.
- (b) Commercial General Liability insurance on an occurrence form with a combined single limit of \$5,000,000 each occurrence; and for project specific, an annual aggregate of \$5,000,000. Coverage must include premises/operations, products/completed operations, and sudden and accidental pollution. Magellan Midstream Partners, L.P. and its Affiliates (hereinafter defined), and its and their respective directors, officers, partners, members, shareholders, employees, agents, and contractors shall be included as additional insureds. The term "Affiliate(s)" as used herein means, with respect to Magellan Midstream Partners, L.P., any individual, corporation, partnership, limited partnership, limited liability company, limited liability partnership, firm, association, joint stock company, trust, unincorporated organization, governmental body, or other entity (collectively, a "Person") that directly, or indirectly, through one or more intermediaries, controls, or is controlled by, or is under common control with Magellan Midstream Partners, L.P. The term "control" (including the terms "controlled by" and "under common control with"), as used in the previous sentence means the possession, directly or indirectly, of the power to direct or cause the direction of the management and policies of Magellan Midstream Partners, L.P. or such Person, as applicable, whether through ownership of voting stock, ownership interest or securities, by contract, agreement or otherwise.
- (c) The Sudden and Accidental Pollution can be a separate, stand alone policy, but must still meet the \$5,000,000 minimum limit requirement. If the coverage is written on a claimsmade policy form, the coverage must be maintained for two (2) years following completion of the work activities related to the Approved Encroachments.
- (d) In each of the above policies, the **Owner** or its contractors and subcontractors agree to waive and will require its insurers to waive any rights of subrogation or recovery either may have against **Magellan** and its affiliated companies.
- (e) Regardless of the insurance requirements above, the insolvency, bankruptcy, or failure of any such insurance company providing insurance for the **Owner** or its contractors and subcontractors, or the failure of any such insurance company to pay claims that occur, such requirements, insolvency, bankruptcy or failure will not be held to waive any of the provisions hereof.
- (f) In the event of a loss or claim arising out of or in connection with the construction of the **Approved Encroachments**, the **Owner** agrees, upon request of **Magellan**, to submit a certified copy of its insurance policies for inspection by **Magellan**.
- (g) The Owner shall require all of its contractors and subcontractors for work related to the construction of the Approved Encroachments to provide adequate insurance coverage,

all to be endorsed with the Waiver of Subrogation wording referenced in Section (d) above; any deficiency in the coverage, policy limits, or endorsements of said contractors and subcontractors, shall be the sole responsibility of the **Owner**.

- 7. <u>Indemnification</u>. Owner will indemnify, save, and hold harmless Magellan, its affiliated companies, directors, officers, partners, employees, agents and contractors from any and all environmental and non-environmental liabilities, losses, costs, damages, expenses, fees (including reasonable attorneys' fees), fines, penalties, claims, demands, causes of action, proceedings (including administrative proceedings), judgments, decrees and orders resulting from Owner's breach of this Agreement or caused by or as a result of the construction, use, maintenance, existence or removal of the Approved Encroachments or Other Encroachments located on the Magellan Easement Tract. The presence of Magellan's representative or any instructions given by such representative will not relieve Owner of any liability under this Agreement, except to the extent that such liability results from Magellan's or its representative's gross negligence or willful misconduct.
- 8. **Damage or Loss.** Owner covenants that:
 - (a) If at any time, in the sole opinion of Magellan, it becomes necessary for Magellan, to cross, occupy, utilize, move or remove all or portions of the Approved Encroachments placed on Magellan's Easement Tract or constructed pursuant to this Agreement, for any purpose, including but not limited to surveying, constructing new facilities, maintaining, inspecting, operating, protecting, repairing, replacing, removing or changing the size of a pipeline(s) and appurtenances on Magellan's Easement Tract and such activities by Magellan result in damage to or destruction of the Approved Encroachments, then repair, replacement or restoration of such Approved Encroachments shall be at the sole cost and responsibility of Owner.
 - (b) If at any time, any encroachments belonging to or permitted by Owner which are not authorized by this or another written agreement ("Other Encroachments") are found to be on Magellan's Easement Tract, Magellan may at any time request Owner to remove such Other Encroachments, and if Owner refuses or fails to do so within a reasonable time, Magellan's may remove them from Magellan's Easement Tract to Owner's Land at Owner's expense, unless they are allowed to remain by a written agreement between Magellan and Owner. Should such removal activities by Magellan result in damage to or destruction of the Other Encroachments, then repair, replacement or restoration of such Other Encroachments shall be at the sole cost and responsibility of Owner, and such Other Encroachments may not be repaired, replaced or rebuilt on Magellan's Easement Tract without a written agreement between Magellan and Owner.
 - (c) If during the exercise of the rights granted by the Easement or by this Agreement, the Approved Encroachments and Other Encroachments, if any, are damaged, destroyed

or suffer loss of value, **Owner** agrees to release **Magellan**, its affiliates, and its and their respective directors, officers, members, partners, shareholders, employees, agents and contractors from and against any and all liabilities, and damages or losses which may arise as a result of the damage to or loss of use of the **Approved Encroachments** and **Other Encroachments**, if any, caused by **Magellan**, its employees, agents and contractors.

- Magellan Rights. Magellan and Owner agree that the existence of the Approved Encroachments or this Agreement does not constitute a waiver of Magellan's rights under the Easement. Magellan hereby reserves and Owner hereby grants and confirms all of Magellan's rights, title and estate as set forth in the Easement.
- 10. The terms and conditions of this **Agreement** will constitute covenants running with the land and be binding upon and inure to the benefit of the parties hereto, their successors, assigns and grantees. This **Agreement** may be executed in two or more counterparts, each of which shall be deemed an original, but all of which together shall constitute one instrument. This **Agreement** shall become effective upon its complete execution by the parties hereto.

IN WITNESS WHEREOF, the parties have set their hands on the dates expressed below.

MAGELLAN PIPELINE COMPANY, L.P. By Its General Partner, Magellan Pipeline GP, LLC By Its Undersigned Authorized Signatory:

By: <u>MMK Srr</u> Name: <u>TIM KELSSEN S.F. R.F. REP</u> Date:

STONE CREEK PLAZA, LLC.

By: Name: (geral Title: \mathcal{M} Date: U

STATE OF OK) COUNTY OF TUISA) SS

Before me, the undersigned, a Notary Public in and for the county and state aforesaid, on this <u>20</u> day of <u>Aug</u>, 2016 personally appeared <u>Tim Kassen</u>, to me personally known to be the Authorized Signatory for MAGELLAN PIPELINE GP, LLC, a Delaware limited liability company, who being duly sworn did acknowledge to me that he/she executed the foregoing instrument on behalf of said limited liability company as the free and voluntary act and deed, for the uses, purposes and consideration therein set forth.

Witness my hand and official seal.	flen /kith
My commission expires:	Notary PublisHERRIE L. GUTHRIE
<u> </u>	SHERRIE L. CUNTER Notery Public State of Overhound
Commission	0 03005115 Empires CMCMD
STATE OF <u>Mebrasha</u>	
0)	SS
COUNTY OF Sanpey)	

Before me, the undersigned, a Notary Public in and for the County aforesaid, on this lb^{tc} day of lagened 2016, personally appeared gened forczon to me known personally to be the <u>managene</u> of STONE CREEK PLAZA, LLC., a Nebraska Limited Liability corporation, who being duly sworn did acknowledge to me that he executed the foregoing instrument on behalf of said STONE CREEK PLAZA, LLC, his free and voluntary act and deed of said corporation, for the uses, purposes and consideration therein set forth.

Witness my hand and official seal.

Jaime Shroener

GENERAL NOTARY - State of Nebraska MARY JAYNE THROENER My Comm. Exp. Sept. 27, 2016

My Commission Expires:

EXHIBIT "A"

٠.

. .

{Being a portion of Magellan Pipeline Company, L.P. Tract 116-SA-21}

MPL Easement Tract Description

The **MPL Easement Tract** crosses **Owner's land** which is situated in the Northeast Quarter, (NE/4) of Section 29, Township 14 North, Range 12 East of the 6th P.M., Sarpy County, Nebraska The **MPL Easement Tract** is described as being 100 feet in width, being 50 feet on each side of the centerline described below, which is along the axis of the **MPL** Topeka to Sioux Falls No.2-6" pipeline:



EXHIBIT "B" TO ENCROACHMENT AGREEMENT, 1 of 4

MAGELLAN PIPELINE COMPANY, L.P.

General Encroachment Requirements

A. <u>GENERAL</u> - These requirements define the minimum standards of practice for encroachments by a landowner (including any developer. business entity, utility company or individual working for, or on behalf of, or with permission of landowner) (herein referred to collectively as "Owner") to pipeline corridors and rights of way ("Magellan's Easement Tract") owned or operated by Magellan Pipeline Company, L.P. ("Magellan"). Upon written request by Owner to Magellan, a copy of these minimum requirements shall be provided to any developer, busin entity, utility company or individual working on behalf of Owner or with the permission of Owner within Magellan's Easement Tract, Specific circumstances may require additional precautions or more stringent methods in order to protect the integrity of Magellan's pipelines and facilities, Magellan's Easement Tract for purposes of these General Encroachment Requirements shall be considered to be any area within fifty (50) feet of any Magellan pipeline or other Magellan-owned or operated facility unless a different right of way width is specified by one or more recorded right of way or easement documents (herein collectively called "Easement", whether one or more), in which case such specified width shall define Magellan's Easement Tract.

1. Encroachment Definition, An "encroachment" is any use of the land within Magellan's Easement Tract which could interfere with Magellan's Easement rights or which could create safety concerns for dagellan pipelines and/or facilities located on Magellan's Easement Tract. Encroachments include, but are not limited to: structures, fixtures personal property, landscaping, foreign utilities, foreign pipelines roadways, railroads, waterway crossings, water impoundments. walls, heavy equipment and heavy loads on Magellan's Easement Tract, and also any excavation, digging, drilling, tunneling and addition, removal or disturbance of soil or subsoil within Magellan's Easement Tract,

 <u>Magellan Representative</u> <u>Reinired On-Site</u>, Magellan pipeline systems operate at high pressures, and for safety reasons, Magellan requires its company representatives to be on-site while Owner is excavating or performing other activities which could endanger the Magellan pipelines or other facilities on

Page 1 of 17

other activities of the Owner on the Magellan Easement Tract, the Magellan field representative shall determine whether Magellan's continuous presence or periodic monitoring of encroachment activities will be required and shall inform the Owner. A Magellan representative will be made available

Magellan's Easement Tract, For

inform the Owner. A Magellan representative will be made available upon 48 hours notice (exclusive of weekends and holidays) to determine the location and approximate depth of any Magellan pipelines. No excavation shall be commenced without prior written approval from Magellan and verification by Magellan of the location and approximate depth of its pipelines.

3. Magellan's Facilities,

Magellan's facilities include, but are not limited to, Easement, rights of way, pipelines, meter and valve sites, aboveground piping manifolds and cathodic protection systems.

4. Land Use Change - Notification, The landowner and tenant, if any, must notify Magellan at any and every time when the land use will be changed for land on or adjacent to Magellan's Easement Tract, Examples of such land use changes are: - Change from pasture to cultivation - Change in depth of tilling (c.g.

plowing deeper or deep-breaking the land)

Change in that terraces will be cut or re-cut
Change from agricultural use to

residential, commercial or industrial use. • Change from residential to commercial or from commercial to industrial.

5. <u>Governmental Regulations and</u> Industry Guidelines. Owner must comply with all applicable laws and regulations, as well as Magellan's policies as expressed herein. Owner is also hereby referred to the Common Ground Alliance Best Practices which can be found on the web site: www.commongroundalliance.com (See "Program Information" / "Best Practices") and which is available from Common Ground Alliance in booklet form for easy reference, Best Practices addresses the most common issues for damage prevention for an encroaching party, including, among others: Planning and Design; One-Call Center; Locating and Marking; Excavation; and Mapping, In the even of a conflict between laws and regulations, Magellan's policies and the Common Ground Alliance Best Practices, the following priority shall govern encroachments on Magellan's Easement Tract: 1st --

laws and regulations; 2nd --Magellan policies; and 3rd --Common Ground Alliance Best Practices,

Page 2 of 17

B. <u>MAGELLAN RIGHT OF WAY</u> <u>PRACTICE</u>

following:

Tract

pipelines and facilities

the following language:

Location and depth of all Magellan

The width of Magellan's Easement

· A standard warning statement

conspicuously displayed containing

WARNING HIGH-PRESSURE PIPELINE(S)

Prohibited Without compliance with State One-Call AND Without Written

Excavation and/or Construction

Permission From MAGELLAN

Agreement Required, A written, fully executed Encroachment

Agreement must be in place between

5. Costs. Unless otherwise agreed in

writing, all costs to Magellan that result from any encroachment should

be paid by Owner, Such costs shall

modification, replacement, lowering,

and protection of pipelines, including

engineering evaluation and design.

field labor and real estate research

6. Pipeline Integrity Inspection,

structure, parking lot, roadway or

other facility which might interfere with or hinder Magellan's inspection

of any pipeline or facility, Magellan

pipeline and any other assets which

may be affected by the proposed

structure, parking lot, roadway or

determine that Magellan's assets

comply with integrity requirements

and to allow Magellan to make any

7. Soil On Magellan's Easement

Trast - Removing and Adding, No

soil shall be removed from or added

without written authorization from Magellan. Any soil added must be

clean (without contaminants, trash or

debris) fill dirt and must be limited in

to Magellan's Easement Tract

of any encroachments,

ount so that the

needed changes prior to construction

other encroaching facility in order to

will perform an integrity review of its

Prior to the installation of any

and document preparation and

include, but not be limited to:

Magellan and Owner before Owner

PIPELINE COMPANY, L.P.

4. Written Encroschment

commences work on any

encroachment.

bandling.

L. Personal Property and Fixtures To Be Kept Off of Magellan's Easement Tract. In order to keep Magellan rights of way clear for operations, maintenance, inspection and emergency access, personal property and fixtures shall not be placed, stored or maintained on Magellan's Easement Tract. Personal property and fixtures include, but are not limited to, storage sheds automobiles, trailers, mobile homes, above-ground swimming pools, business equipment, product inventory, scrap metal, boulders, large rocks, debris, junk and piles of materials.

2. Encroachments Subject to Being Cleared from Magellan's Easement Tract. Subject to the terms of its Easement (including right of way agreement[s] and other written agreements), Magellan may keep Magellan's Easement Tract clear of items that may hinder the exercise of Magellan's rights to construct, operate, inspect, maintain, repair and cess its pipelines and other facilities, Clearing of the Magellan's Easement Tract shall include, but not be limited to the following: removal of trees, brush, crops, other vegetation and non-permitted encroachments located on or overhanging all or part of any Magellan's Easement Tract, Trees or other vegetation overhanging Magellan's Easement Tract may be side-trimmed.

C. ENCROACHMENT PLANNING

 <u>Plan Review Required by</u> <u>Magellan</u>. For any encroachment, <u>Magellan must be provided project</u> plans to review and approve, *prior to the encroachment occurring*, for purposes of damage prevention,

 Submission of Complete Plans, Owner must submit complete plans to Magellan for review, Incomplete plans could delay Magellan's engineering impact study and insufficient information could result in increased costs, Plans must include:

 A plan view of the project with the pipeline(s) location included.
 An illustration in profile of the existing surface elevations, the proposed surface elevations, the proposed surface elevations and the elevation of the Magellan pipeline(s).
 A comprehensive utility /structure /grading plan depicting the relationship to the pipeline(s).
 A proper legal description of the project tocation.

Complete landscaping plans.
Complete plans for backfilling and compaction of backfill material.

3. Plans Must Show Magellan's Easterist, Pipellaes and Facilities. All construction plans (prints) showing lands where all or any part of Magellan's Easement Tract, any Magellan pipeline or facility is located must contain the

Page 3 of 17

Page 4 of 17

resulting cover (vertical distance from the surface of the land to the top of Magellan's pipeline) is not greater than eight feet (8').

8. <u>Erosion Control Materials</u>, Erosion-control materials may be allowed on Magellan's Easement Tract for temporary periods of construction and restoration.

9. <u>Proof of Title to Property.</u> Magellan may require Owner to provide proof of current ownership of the land where the proposed encroachment is to be located. Such proof may be in the form of a Title Commitment, Title Policy, or a copy of a recorded Warranty Deed.

10. <u>Subdivision Phy.</u> Magelian requires a copy of the Subdivision Plat, if applicable, If the plat has been recorded, Magellan requires a copy indicating the book and the page of the recording.

11. Location and Approximate Peath of Pipelines, A Magelian representative is normally available with 48 hours notice (exclusive of weekends and holidays) to determine the location and approximate depth of the pipeline(s). Determining actual depths of pipelines may require potholing or hand-digging by, and at the expense of Owner in the presence of an authorized Magelian representative. No excavation on Magelian's Easement Tract shall take place without approval by Magelian.

12. <u>Vertical Separation Between</u> <u>Magedian Pipeline or Facility and</u> an <u>Entroaching Objects or</u> <u>Structure</u>. Vertical separation is defined in this document as the vertical distance between the outermost part of a Magellan pipeline, facility or appurtenance (for example, the outside of the pipe [for uncased pipe] or the outside of the pipe casing [for cased pipe]) and the outermost part of the encroaching object (for example, the outside of the encroaching pipeline or the outside of its conduit).

13. <u>Construction Equipment</u> <u>Information</u>, Owner shall provide to Magellan information as to the type, size, and weight of construction equipment that will be used over or in the vicinity of the pipeline(s).

D. <u>ENCROACHMENT DESIGN</u> <u>REQUIREMENTS &</u> <u>STANDARDS</u>

 <u>Risk of Loss and Damage.</u> Owner shall bear the risk of loss, damage and/or destruction to any structure, fence, landscaping or improvement placed within the boundaries of Magellan's Easement Tract and shall hold Magellan harmless

Page 5 of $1\overline{7}$

EXHIBIT "B" TO ENCROACHMENT AGREEMENT, 2 of 4

for damages, destruction of structures and for any consequential damages which may arise out of Magellan's Easement rights or which may arise out of accessing Magellan's Easement Tract, pipelines or facilities.

2. Buildings, Structures and Fences.

- a. Buildings and Structures. No buildings, houses, barns, garages, patios, playhouses, sheds, septic systems or drain fields, swimming pools (above-ground or below-ground), reinforced concrete slabs or other similar structures will be permitted on the Magellan's Easement Tract.
- Septic System not permitted. No septic-system, including any lateral lines will be permitted on Magellan's Easement Tract.
- c. Retaining Walls. Retaining walls are not permitted on Magellan's Easement Tract.
- d. Fences. No fence shall be constructed or maintained on Magellan's Easement Tract without a written agreement,
- e. Requirements for Fences. If fencing on Magellan's Easement Tract is authorized by a written agreement with Magellan, the fencing must comply with the following:
 - Not Parallel to Pipeline. No fence shall be allowed to be constructed parallel closer than 10 feet to any Magellan pipeline, within the boundaries of Magellan's Easement Tract.
 - Fence Posts Location. No fence posts will be allowed to be within five (5) feet of any Magellan pipeline or facility.
 - 3) Gates Required. Mageilan may require any fence constructed within the boundaries of Magellan's Easement Tract to have pates of such size and suitability as is necessary or convenient for Magellan to access its pipelines and/or facilities for its operations, including inspections, at each point where the fence crosses a Magellan pipeline or facility boundary, Magellan shall be allowed to put a Magellan lock on such gates, which will allow access to Magellan's Easement Tract and/or facilities through such gates 4) Angle of Fence Crossing. It
 - 4) Angle of Fence Crossing, I is preferred that fence crossings be as close to 90 degrees as possible.

3. Landscaping, Elevation Changes and Water.

a. Landscaping Definition. Landscaping shall include, but not be limited to, trees, shrubs, underground irrigation or sprinkler systems, sidewalks or other paths, retaining walls, terraces or other land grade changes, within Magellan's Easement Tract. b. General Landscaping Requirements. The following are the general rules for landscaping on Magellan's Easement Tract:

1)Written Approval. Landscaping proposed to be done on Magellan's Easement Tract must be approved by Magellan in a written

encroachment agreement. Among other terms, the encroachment agreement will release Magellan from any liability for damages to the landscaping from the exercise of Magellan's Easement rights. 2) Trees Not Permitted. Trees are not permitted on Magellan's Easement Tract. 3) Shrubs. Shrubs exceeding 3 feet in height and/or obstructing the view of any Magellan pipeline

the view of any Magelian pipeline marker posits are not permitted on Magelian's Easement Tract, 4) Irrigation Systems, Field Drain Lines, and Sidewalks. Irrigation systems, field drain lines and sidewalks that are to cross a Magelian pipeline must cross such pipeline at an angle as close to 90 degrees as possible, but in no event at an angle less than 45 degrees and must comply with other applicable provisions of this

document, c. No Water Bodies on Magellan's Easement Tract. Retention of water, including but not limited to, Livestock ponds, lakes, retention ponds, or wetlands may not be constructed or formed on Magellan's Easement Tract, d. Surface Grade and Elevation Changes. Surface grade or elevation changes must be reviewed and approved in writing by Magellan,

 Forcion Pipeline & Utility Crossing, No foreign pipelines or utility lines of any type shall be allowed to be constructed parallel to any Magellan pipeline within the boundaries of Magellan's Easement Tract.

a. Minimum Angle for Pipeline/Utility Crossing, Any foreign pipeline or utility that is proposed to cross a Magellan pipeline must cross the Magellan pipeline at an angle as close to 90 degrees as possible, but in no event at an angle less than 45 degrees. b. Vertical Separation Requirements for Crossing, Foreign pipeline(s), utilities (except highvoltage lines - see below) or flow lines should cross Magellan pipeline(s) with at least 24 inches of vertical separation, Special written authorization must be given in the event vertical separation is less than that specified in these General Encroachment Requirements. The preferred method for a foreign pipeline or utility to cross a Magellan pipeline is to cross below the Magellan pipeline. c. Warning Tape Required. When any foreign pipeline or utility line is proposed to cross a Magellan pipeline, Owner must place 6" wide McMaster-Carr No. 8288T12 or equal within Magellan's Easement Tract

in the following manner: 1) The tape must be placed directly over (parallel to) and at least 15 inches above the foreign line for the entire distance that it

- the entire distance that it occupies Magellan's Easement Tract. Additionally, the tape must be placed directly over (parallel to) and at least 15 inches above each Magellan pipeline that is crossed for a minimum distance which is the greater of:
- (a) a minimum distance of 20 feet on each side of the Magellan pipeline, or
 (b) across the entire width of
- Magellan's Essement Tract 2) The placement of warning tape on each side of Magellan pipeline(s) will not be required for utility cables that are installed using the directional drill or iacking method.
- drill or jacking method. d. Crossings By Metal Pipelines or Conduits. Metallic pipe crossing Magellan pipeline(s) may require Magellan to perform a cathodic protection interference survey. If interference with Magellan's cathodic protection system is detected and remediation is necessary. Owner agrees to cooperate with Magellan and to make necessary adjustments in Owner's interfering metallic pipe or other remediation to correct such interference problem insure that the Magellan cathodic protection system is operating properly. e. Crossing Requirements.

Electrical, fiber optic, local service communication, long distance carrier telephone, and utility cables should cross Magellan pipeline(s) with a minimum of 24-inches of vertical separation. All such lines must be covered with a Concrete Slab for the full width of the Fasement Tract, if requested by Magellan, If such lines have an exposed concentric neutral, a test point from the ground wire shall be installed by the power company. f. Crossing Requirements For Lines Going Over a Magellan Pipeline. In the event the electrical, fiber optic, local service communication, long distance carrier telephone, and utility cables cable crosses over a Magellan pipeline, such line shall be encased in red concrete across the full width of Magellan's Easement Tract, unless a variance is granted

by Magellan, as set forth below. g. Written Authorization for Variance. Owner must have written authorization from Magellan for any variance from the vertical separation requirements listed above and/or for any variance from the

requirement for

encasement of high-voltage electrical lines in red concrete. Utility Poles and Guy Anchors.

- Utility poles and guy anchors shall not be placed on Magellan's Easement Tract without a written agreement, poles and anchors may be placed no closer than 20 feet to any Magellan pipeline, Poles shall not be allowed to run parallel to a Magellan pipeline within the Magellan Easement
- Tract,
 Directional Drilling / Boring,
 Prior to commencing any horizontal directional drilling, Owner shall submit plans showing procedure and material descriptions for Magellan's approval. The plans and description shall include, but not be limited to the following:

i.

- Profile and plan showing location of entry and exit points
- points Work space required to perform the work
- Mud containment and disposal sites
- 2) Owner shall positively locate and stake the location of Magellan's existing pipelines and other underground facilities, including exposing any facilities located within 10 feet of the designed drilled path. Prior to commencing drilling operations, Owner shall modify drilling practices and down-hole assemblies to prevent damage to Magellan's existing pipelines and other facilities, Owner shall be responsible for losses and repairs occasioned by damage all Magellan pipelines and other facilities resulting from drilling o boring operations. At all times, Owner shall
- 3) provide and maintain instrumentation to document and accurately locate the pilot hole and the drill bit, to measure drill-string axial and torsional loads, and to measure drilling fluid discharge rate and pressure, At Magellan's request, Owner shall promptly provide Magellan with reasonable access to information and readings provided by these instruments, including copies of any written documentation, Pilot Hole. 4)

The pilot hole shall be drilled along the path shown in the plan and profile drawings. No pilo hole shall be made that will result in any of the encroaching utility being installed in violation of laws and regulations or of Magellan's requirements described hereia. However, safety for any adjacent utilities and/or structures is of utmost importance. Therefore, the listing of separation distances or tolerances herein does not relieve Owner from responsibility for safe operations or for damage to adjacent utilities and structures, if tolerances are not specified in the plan and profile drawings, the pilot hole shall have the

following tolerances

Elevation of +0 fect and -15

fect • Alignment of +/-20 feet as long as it does not come to within 10 feet of Magellan's pipeline

Initial penetration of ground surface at exact location shown in the plan and profile drawings

• Final penetration of the ground surface within +/-10 feet of the alignment and within +30 feet and -0 feet of the length shown in the plan and profile drawings • Curves shall be drilled at a

 Curves shall be drilled at a radius equal to or greater than that specified in the plan and profile drawings, The drilled radius will be calculated over any 3 joints (range 2 type drill pipe) segment using the following formula: Rdrilled = (Ldrilled/Aavg) x

 $180/\pi$ Where: Rdrilled =drilled radius over Ldrilled

Ldrilled = length drilled; no less than 75 feet and no greater than 100 feet

Aavg = total change in angle over Ldrilled

 At the completion of the pilothole drilling. Owner shall provide to Magellan a tabulation of horizontal and vertical coordinates, referenced to the drilled entry point, which accurately describe the location of the pilot hole.
 Drilling Fluids,

 The composition of drilling fluids proposed for use shall comply with all applicable laws and regulations,
 Owner is responsible for obtaining, transporting and storing any water required for drilling fluids.

 Disposal of drilling fluids and drill cuttings shall be Owner's responsibility and shall be conducted in compliance with applicable laws and regulations.
 Drilling fluid shall *not* be disposed of by placing fluids on or under the surface of Magellan's Easement Tract.

Owner shall employ best efforts to maintain full annular circulation of drilling fluids, Drilling fluid returns at locations other than entry and exit points shall be minimized. If annular circulation is lost, Owner shall take steps to restore circulation. If inadverten surface returns of drilling fluids occur, they shall be immediately contained with hand-placed barriers (e.g., hay bales, sand bags, silt fences, etc.) and collected using pumps as practical. If the amount of surface return is not great enough to allow practical collection, the affected area will be diluted with fresh water and the fluid will be allowed to dry and dissipate naturally, If

Page 6 of 17

Page 7 of 17

Page 8 of 17

Page 9 of 17

Page 10 of 17

General Encroachment Requirements – (L.P.- 1/1/07)

EXHIBIT "B" TO ENCROACHMENT AGREEMENT, 3 of 4

the amount of surface return exceeds that which can be contained with hand-placed barriers, small collection sumps (less than 5 cubic yards) may be used unless permits or other regulations prohibit the use of collection sumps, if the amount of surface return exceeds that which can be contained and collected using barriers or small sumps, or if the return of drilling fluids occurs in the body of water proper, drilling operations will be suspended until surface return volumes can be controlled,

6) As-Built Drawing. Owner shall provide to Magellan an as-built plan and profile drawing of the drilled crossing showing the location of the new crossing as well as the location of Magellan's pipeline.

 <u>Rondway, Driveway, Raitroad and Equipment</u> <u>Crossings</u>, No roadway, driveway, raitroad or equipment crossings of any type shall be allowed to be constructed parallel to any Magellan's Easement Tract.

a. Pipeline Integrity Inspection. A pipeline integrity review shall be performed by Magellan as described in provision "6" under "C, <u>Encreachment Planning"</u> (above),
b. Load Bearing and Stress Limit Requirements. Prior to any road, driveway, rail bed or equipment crossing construction, Magellan's engineer must determine whether the proposed compacted cover meets load-bearing requirements and provides adequate protection to limit stress on Magellan's pipeline or other facilities and must advise Owner of any additional requirements necessary to provide

adequate protection,
c. No Crossing Over Pipeline Bend. Paved surfaces or rail beds shall not be allowed to cross a pipeline bend (point of inflection),
d. Minimum Angle of Crossing. Crossings should be as close to 90 degrees to Magellan pipelinc(s) as possible, but not less than 30 degrees.

e. Pipeline Casing Issues. Magellan prefers that cased roadway and railroad crossings no longer be installed. If the carrier pipe under roadways and railroads requires adjustment or relocation. then instead of using casing, the carrier pipe will consist of extra strength material or heavier wall thickness to accommodate the additional longitudinal stress due to external loads, If a road or railroad crossing currently uses casing and the road or railroad is being widened and no other adjustment or relocation of the carrier pipe is required, then Magellan may elect to extend the casing pipe on the existing crossing(s) to accommodate additional road surface. If casing is used, it must not end under the roadway surface or track structure, but must extend across the entire length of the roadway or railroad right of

way, f. Railroad Crossing Requirements, Railroads shall be installed with a minimum compacted cover over the carrier pipe, as measured from the base of the rail to the top of the pipe, as follows (see Figures 1 and 3):

<u>Location of</u> <u>Pipeline</u>	<u>Minimum</u> <u>Compacted Cover</u> <u>Over Top of</u> Pipeline
Under track structure proper (Below bottom of rail)	6,0 feet
Under all other surfaces within the right of way or from the bottom of ditches	3.0 feet

g. Roadway and Driveway Crossings.

Roadways and driveways, shall be installed with a minimum compacted cover over the carrier pipe, as measured from the top of the roadway surface to the top of the pipe, as follows (see Figures 2 and 4):

Location of Pipeline	Minimum Compacted Cover Over Top of Pipeling
Under roadway surface proper (Below surface of pavement)	4.0 feet
Under all other surfaces within the right of way or from the bottom of ditches	3.0 feet

h. Crossing Pipelines Transporting Highly Volatile Liquids. For Magellan pipelines transporting highly volatile liquids, minimum cover for a crossing at a drainage ditch must be 4.0

i. When Additional Depth Required. Depth greater than the minimum depths stated above may

be required for a pipeline due to the combined stress of internal pipeline pressure and external loading pressure. Magellan will analyze each proposed crossing based on information provided by Owner to determine any additional depth that may be required for the pipeline for safe operation. J. Temporary Roads and Equipment Crossings. Any such road or crossing must meet the following requirements:

 Must be located at a site approved by a Magellan field representative,
 Must provide adequate protection for Magellan's pipeline and other facilities, as determined by the appropriate Magellan engineer, so that the compacted cover meets load-bearing requirements and provides adequate protection to limit stress on the pipeline or other facilities, Owner shall place Six-inch wide plastic warning tape, McMaster-Cart No, 8288T12 or equal, over each pipeline for the width of the temporary road or equipment crossing, plus an additional 20 feet past each outside edge of such temporary road or equipment crossing

k. Owner Required to Protect Magellan Pipelines. Magellan may require Owner to put in place additional cover and/or stabilization (timbers, steel plate, crushed rock, concrete slab, etc.) at any approved equipment crossing in order to protect Magellan pipelines, taking into account possible effects of weather, pipeline depth, and type of vehicles proposed to cross the pipelines, Magellan will analyze each proposed crossing based on information provided by Owner to determine any additional depth or protection that may be required for safe pipeline operation. L Heavy Equipment - Definition and Requirements. Heavy equipment shall be defined as vehicles having a gross weight in excess of 80,000 pounds. Heavy equipment shall be prohibited from working directly on top of the active pipeline. For vehicles having a gross weight of 80,000 pounds or less, the pipeline n have a minimum of 4 feet of cover, Magellan must analyze the additional longitudinal stress due to external loads if the vehicles have a gross weight in excess of 80,000 pounds in order to determine required pipeline depth for safe

6. Parking Lots and Other Pavement,

operation.

 a. Parking Lot and Pavement Requirements. All parking lots and other pavement installed on Magellan's Easement Tract shall consist of a flexible surface such as asphalt. No reinforced concrete will be allowed.
 b. Pipeline Depth Under Parking Lot. The depth of Magellan's pipelines under a parking lot must meet or exceed compacted cover requirements listed in the previous "Roadway, Driveway, Railroad, and Equipment Crossings" section above

7. Waterway Crossings,

a. Pipeline Depth Requirements. If Owner proposes to cross a Magellan pipeline with a waterway (river, stream, creek, irrigation canal, or drainage ditch), such crossing must result in Magellan's pipelines meeting or exceeding the minimum depth below the bottom of the waterway for compliance with then current pipeline construction standards and federal, state, and local regulations.

 b. Requirements for Waterway Crossings:

 Minimum Angle or Crossing, Crossings should be as close to 90 degrees to Magellan pipeline(s) as possible, but not less than 45

degrees,

2) Vertical Separation Requirements for Waterway Crossing. Pipelines to be crossed must have a minimum vertical separation of five (5) feet, as measured from the bottom of the waterway to the outermost part of a Magellan pipeline, facility or appurtenance

3) Adding Weight to Pipeline for Negative Buoyancy. Owner shall bear the cost of Magellan adding sufficient weight or mechanical devices to any Magellan pipeline crossed by a waterway in order to create negative buoyancy for such pipeline,

8. Blasting,

a. Magellan Written Approval Required – Plan To Bc Submitted. Magellan must approve any proposed blasting operations that could affect its pipelines or facilities. Should blasting be necessary, a comprehensive plan must be submitted to Magellan for review and written approval.

b. Safety Considerations – Damage Prevention Plan, For safety and preservation of Magellan assets, all blasting shall be in accordance with federal, state, and local governing agencies and the Magellan's "Damage Prevention Plan for Blasting Near Conpany Facilities". A copy of said plan will be made available upon request,

EXCAVATION NEAR MAGELLAN <u>PIPELINES.</u>

1. <u>STATE "ONE-CALL" REOUIRED</u>, No excavation or activity listed in "A. <u>GENERAL</u>. 1. <u>Literachemein Definition</u>" above shall be performed by Owner in the vicinity of Magellan's facilities or within Magellan's Easement Tract until proper telephone notification has been made to the appropriate "One Call" system and a Magellan to the appropriate activities. All of the states in which Magellan conducts pipeline operations have "One Call" asystemic to monitor excavation prior to any excavation related activities, All or the states activities, All end a Magellan to a fact the states of the states and the states and the require 48-72-hours notification prior to any excavation related activities, Aller making a One-Call, the state One-Call agency will notify Magellan to mark accurately, in a reasonable and timely manner, the location of the Magellan's pipeline facilities in the vicinity of the proposed encroachment,

2. ONE-CALL NOTIFICATION. The

from each state's web site on 1/5/2004). Owner is required to acquire and call the

location of activity.

appropriate One-Call number(s) for its

following list is provided for convenience, but

is not warranted by Magellan to be complete or accurate (telephone numbers were copied

Page 11 of 17

Page 12 of 17

Page 13 of 17

Page 14 of 17

, 2, EXHIBIT "B" TO ENCROACHMENT AGREEMENT, 4 of 4

 be found on each state's "ONE-CALL." website: Arkansas - www.akonceall.com/ - 800 482-8998 Colorado - www.uncci.org/ - 800 922-1987 Illinois - www.ibinois call.com/ - 800 922-1987 Illinois - www.kansasonceall.com/ - 800 922-1987 Minnesota - www.gopherstateonceall.org/			IO ENCROACIMIENT A
Caterado - www.uex.classed - www.ilensista - www.ilensista - www.ilensista - www.gapherstatencell.com/ - 800 242-1166 Minesota - www.gapherstatencell.com/ - 800 244-783 Nebraska - www.gapherstatencell.com/ - 800 244-783 Nebraska - www.gapherstatencell.com/ - 800 244-783 Nebraska - www.gapherstatencell.com/ - 800 244-7843 Nebraska - www.gapherstatencell.com/ - 800 242-1166 North Dakota - www.gapherstatencell.com/ - 800 252-1166 North Dakota - www.gapherstatencell.com/ - 800 252-166 North Dakota - www.gapherstatencell.com/ - 800 252-6543 South Dakota - www.diggers.com/ - 800 252-6543 Nutrouch - 800 272-186 Nutrouch - 800 252-6543 Nutrouch - 800 242-8511 Atternatively, the National One-Call number - (888) 258-088 - may be used to register a proposed excavation on the Magelian Easement Tract No excavation on the Magelian - Searcend Yacilian is written approval of the plans, The excavation dround Alliance Best Practices (referenced in this document). 4. <u>Magelian representative must be on-site when an</u> excavation a courting on Magelian - Statement Tract No excavation on the Magelian Easement Tract No excavation is occurring on Magelian 's Easement Tract No excavation is occurring on Magelian 's Easement Tract No excavation is occurring on Magelian 's Easement Tract No excavation is also celler the shall be eronowed from buckets of excavation any magelian pipeline with any other pieline or with electric line, communication line, roadway or any other structure or facility, Owrer needs to locate a Magelian pipeline with any other pieline or with electric line, communication line, roadway or any other structure or facility, Owrer needs to locate a Magelian pipeline with any other pieline or with electric line, communication line, roadway or any other st	e found on each state's "ONE-CALL	" website:	shall cease using the mechanical means when it reaches a point within two fee the Magellan pipeline (see next provision),
 Illinois - www.illinois teall.com/ - 800 892-013 Illinois - www.illinois teall.com/ - 800 344-7233 Minnesota - www.enc-diggers.com/ - 800 344-7433 Mostraka - www.enc-diggers.com/ - 800 344-7433 North Dakota - www.endonecall.com/ - 800 344-7433 South Dakota - www.idenceall.com/ - 800 781-7774 Texas - www.icexasonecall.com/ - 800 242-6543 South Dakota - www.idenceall.com/ - 800 242-6543 Wisconsin - www.idexasonecall.com/ - 800 242-6543 Wisconsin - www.idexasonecall.com/ - 800 242-6543 Wisconsin - www.idexasonecall.com/ - 800 242-6543 Minimum depth - 980 242-6543 Wisconsin - www.idexasonecall.com/ - 800 242-6511 Anternatively, the National One-Call number - (889) Beglian for its optiopsed excavation and to subsequently notify underground utility operators with assets in the vicinity. <u>Beceivation on the Magellan's excavation on the Magellan's written compliance with all applicable taws and regulations. Comer is also referred to the Granet Tract. No excavation on the Magellan's exitenent Tract shall be commenced until Owner has secured Magellan's written compliance with all applicable taws and regulations. Comer is also referred to the Granet Tract. No excavation on the Magellan's exitenent Tract shall be commenced until Owner has secured from Huckets of excavating on Magellan pipeline with any order for for oxiting any order for for size form Equipment.</u> <u>Aminour depart field for the Kagellan's exitene or progeolace excavation work shall be in the applicable with any order for form social may order of portions with electric line, communication line, roadway or any ofter structure or facility. Owner needs to locat</u>			a principal production a provide state of the second state of
 arsse - www.iseasonceall.com/ - 800 324-7233 isoari - www.gophersteenceall.com/ - 800 324-7186 isoari - www.acediggers.com/ - 800 331-5666 oot The Daketa - www.acediggers.com/ - 800 331-5666 oot The Daketa - www.acediggers.com/ - 800 324-5633 outh Daketa - www.acedil.com/ - 800 324-5643 outh Daketa - www.acedil.com/ - 800 324-5643 outh Daketa - www.acedil.com/ - 800 224-8511 derastor - www.diggersholtnec.com/ - 800 224-28511 derastor - www.diggers.com/ - 800 242-48514 Kainoan - Wale - Alla - Basement Tract - 800 242-8514 Minimum dight - Gase - Case - Cas			
ness - www.kansasonecall.com/ - 800 244-7233 nesota - www.gopherstateonecall.org/ - 800 252-1166 ssouri - www.molcall.com/ - 800 252-1166 rhbakota -www.aclokic.com/ - 800 232-6543 ath Dakota - www.aclokic.com/ - 800 232-6543 ath Dakota - www.diakcic.com/ - 800 731-7474 sss - www.texasonecall.com/ - 800 232-6543 ath Dakota - www.diakcic.com/ - 800 232-6543 sconsin - www.diggershotline.com/ - 800 242-4551 ernatively, the National One-Call number - (888) -0808 - may be used to register a proposed avation on the Magellan Essement Tract. No avation on Megellan's Easement Tract shall be inpliance with all applicable havs and regulations. neris also referred to the Common Ground Alliance at Practices (referenced in this document). Magellan representative On-Site Arguing on ge 1). Removal of Site-Cutting Tech from Fauingent ecuting tech shall be removed from buckets of avation on Magellan's Easement Tract. Provision "2" under "4. <u>General</u> " beginning on ge 1). Removal of Site-Cutting Tech from Fauingent ecuting tech shall be removed from buckets of avation equipment. Particle Exercision "2" under "4. <u>General</u> " beginning on ge 1). Removal of Site-Cutting Tech from Fauingent ecuting tech shall be removed from buckets of avation any defent eline or with electric line, communication line, dway or any other structure or facility, Owner meeds coata a Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility, Owner meeds coata a Magellan pipeline with such			piperiore shall be done by <i>nana-aigging</i> until the pipeline is exposed and its
nesota -www.gopherstateonecall.org/ sourt - www.mol call.com/ 600 344-7483 raska - www.ncdonecall.com/ 800 344-7483 source - source -			
 800 232-1166 800 331-566 800 331-566 800 331-566 800 331-566 800 781-7474 800 781-744 800 7			
sourf - www.molcall.com/ - 800 341-766 th Dakota - www.adonecall.com/ - 800 321-566 shoma - www.edonecall.com/ - 800 522-533 shoma - www.edonecall.com/ - 800 522-533 shoma - www.edonecall.com/ - 800 242-451 esonsin - www.texasonecall.com/ - 800 242-8511 ernatively, the National One-Call number - (888) -0808 - may be used to register a proposed swation and to subsequently notify underground ity operators with assets in the vicinity. <u>Sectivation Plain Approval plans for any proposed</u> vation on the Magellan Easement Tract. No vation on the Magellan Easement Tract hall be meneced until Owner has secured Magellan's written roval of the plans, The excavation work shall be in plance with all applicable laws and regulations, ner is also referred to the Common Ground Alliancet I Practices (referenced in this document). Magellan Representative must be on-site when an vation on Magellan's Easement Tract Provision "2" under "A. <u>General" beginning on</u> e 1), <u>Ammile Excavation discument</u> , <u>Augultan Representative from Equipment</u> , souting ceutifies the shall be removed from buckets of vating calling to the sweet of four buckets of vating calling to the sweet of mechanical ns, Owner must perform such locating activity by vating parallel to the Magellan pipeline with any other the or with electric line, communication line, wating parallel to the Magellan pipeline with any other the or with electric line, communication line, wating parallel to the Magellan pipeline with such base wating parallel to the Magellan pipeline with s			where a rest of any imagendu pipelate.
praska - www.nc-diggers.com/ - 800 331-56666 th Dakota - www.callokic.com/ - 800 522-6543 shoma - www.callokic.com/ - 800 522-6543 staboma - www.callokic.com/ - 800 522-6543 scansin - www.callokic.com/ - 800 245-4545 scansin - www.callokic.com/ - 800 242-4545 scansin - www.casonecall.com/ - 800 242-4545 scansin - scansin - Soma - S			
 Removed of State of the State of State of State of State of State of Participation of Participatina Participation of Participation of Participation of Partit			RAILROAD AND HIGHWAY CROSSINGS
th Dakota -www.sdonecall.com/index.asp -800 781-7474 as - www.texasonecall.com/ -800 245-4541 ernatively, the National One-Call number - (888) -8088 - may be used to register a proposed avation and to subsequently notify underground ity operators with assets in the vicinity. Excitivation Plan Aphrovial Owner shall submit to gelian for its approval plans for any proposed avation on the Magellan Easement Tract No avation on the Magellan Easement Tract Provision "2" under "A: <u>General</u> " beginning on e 1), <u>Removit of Side-Cutiling Tech from Equipment,</u> - couting ieth shall be removed from buckets of avating equipment: <u>Partifiel Excaviting Required,</u> When, in preparation crossing any Magellan pipeline with any other line or with electric line, communication line, by avay or any other structure or facility, Owner meds prate with electric line, communication line, by avay or any other structure or facility, Owner meds prate a Magellan pipeline with any other surfue a electric line, communication line, sway or any other structure or facility, Owner meds prate a Magellan pipeline with any other surfue a water or facility, Owner meds prate a Magellan pipeline with any other surfue a Magellan pipeline with such			
 below ground Bailroad Boo 781-7474 Boo 245-4545 sconsin - www.diggershotline.com/ - 800 242-8511 below ground Minimum depth below ground Minimum depth below ground Minimum depth below ground Minimum depth below ground Casing Carrier pipe CASED RAILROAD CROSSING FIGURE 1 Bailroad Casing Carrier pipe Casing Casing Carrier pipe Casing Carrier pipe Casing Ca			Minimum depth
Ans - www.texasonceall.com/ - 800 245-3455 isconsin - www.diggershotline.com/ - 800 242-8511 ternatively, the National One-Call number - (888) 8-0808 - may be used to register a proposed avation and to subsequently notify underground lify operators with assets in the vicinity. Excitivation of the glans, for any proposed avation on the Magellan Easement Tract. No avation on Magellan Easement Tract. No avation on Magellan Easement Tract shall be mnenced until Owner has secured Magellan's written nor is also referred to the Common Ground Alliance at Practices (referenced in this document). Magellan representative must be on-site for Excavation, Magellan representative must be on-site when an avation is occurring on Magellan's Easement Tract <i>e provision "2" under "A. <u>General"</u> beginning on ge 1).</i> Removed for buckets of avating equipment: Paritlel Excavating Remitred, When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility. Owner needs locate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such			
below ditch seconsin - www.diggershottine.com/ - 800 242-851 ernatively, the National One-Call number - (888) 1-0808 - may be used to register a proposed avation and to subsequently notify underground tity operators with assets in the vicinity. <u>Excitivation Plain Approval</u> Jowner shall submit to gellan for its approval plans for any proposed avation on Magellan Easement Tract. No avation on Magellan's Easement Tract. No avation on Magellan's Easement Tract. No avation on Magellan's Easement Tract. No men is also referred to the Common Ground Alliances a Practices (referenced in this document). <u>Magellan Representative On-Site when an</u> avation is occurring on Magellan's Easement Tract <i>e provision "2" under "A. <u>General" beginning on</u> <i>ge 1</i>). <u>Parallel Excaviting Required</u>, When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility, Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such</i>			
And the second of the secon			
 de08 - may be used to register a proposed vation and to subsequently notify underground ty operators with assets in the vicinity. creation of the plans, for any proposed vation on Magellan Easement Tract. No vation on Magellan Easement Tract shall be menerced until Owner has secured Magellan's written oval of the plans, The excavation work shall be in plance with all applicable laws and regulations, the is also referred to the Common Ground Alliance Practices (referenced in this document). Jagellan Representative must be on-site when an vation is occurring on Magellan's Easement Tract may atom is occurring on Magellan's Easement Tract provision "2" under "A. <u>General</u>" beginning on et al., catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipment; catting teeth shall be removed from buckets of vating equipmen	tonsin - www.uiggersitonine.com	800 242-8511	
 B-0808 - may be used to register a proposed avaiing and to subsequently notify underground lify operators with assets in the vicinity. <u>Excituation Plan Approval</u>, Owner shall submit to gellan for its approval plans for any proposed cavation on Magellan Easement Tract. No avaiion on Magellan's Easement Tract shall be in mpliance with all applicable laws and regulations, mere is also referred to the Common Ground Alliance st Practices (referenced in this document). <u>Magellan Representative On Site for Excavation</u>, Magellan representative must be on-site when an avaition is occurring on Magellan's Easement Tract <i>e provision "2" under "A: <u>General" beginning on gel</u>.</i> <u>Removal of Side-Cuttling Teeth from Equipment</u>, lecuting teeth shall be removed from buckets of avaiting equipment; <u>Paratilel Excavation Remutrical</u>, When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, divay or any other structure or facility. Owner needs locate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avaiting parallel to the Magellan pipeline with such 	ernatively, the National One-Call n	umber – (888)	
avation and to subsequently notify underground lity operators with assets in the vicinity. <u>Excivation Plan Approval</u> , Owner shall submit to gellan for its approval plans for any proposed avation on Magellan's Easement Tract. No avation on Magellan's Easement Tract shall be in mpliance with all applicable laws and regulations. mer is also referred to the Common Ground Alliance it Practices (referenced in this document). <u>Mingellan Representative On-Site for Excivation</u> , <u>Magellan Representative must be on-site when an</u> avation is occurring on Magellan's Easement Tract e provision "2" under "A. <u>General" beginning on</u> je 1). <u>Parallel Excavation Requipment</u> . <u>e-cutting teeth shall be removed from buckets of</u> avating equipment: <u>Parallel Excavation</u> , When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility. Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such	-0808 - may be used to register a pr	oposed	
Excitivation Plan Approval plans for any proposed avation on Magellan's Easement Tract. No avation on Magellan's Easement Tract shall be more a ulto Common Ground Alliance at Practices (reference of in this document). <u>Magellan Reference</u> to the Common Ground Alliance at Practices (reference of in this document). <u>Magellan Reference</u> to the Common Ground Alliance at Practices (reference of in this document). <u>Magellan Reference</u> to the Common Ground Alliance at Practices (reference of in this document). <u>Magellan Reference</u> to the Common Ground Alliance at Practices (reference of in this document). <u>Magellan Reference</u> to the Common Ground Alliance at provision "2" under "A. <u>General" beginning on</u> re (I). <u>Removal of Slide-Cuttling Teeth from Fauijament,</u> e-cuting teeth shall be removed from buckets of avating equipment; <u>Parallel Excavation Ine</u> , dway or any other structure or facility. Owner meeds ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such	avation and to subsequently notify	underground	- discourse of the second
Excitivation Plan Approval plans for any proposed avation on the Magellan Easement Tract. No avation on Magellan Easement Tract No avation on Magellan is Easement Tract. No avation on Magellan is Easement Tract. No avation on Magellan is Easement Tract shall be impliance with all applicable laws and regulations. ner is also referred to the Common Ground Alliance t Practices (referenced in this document). <u>Minimum depth</u> degellan representative must be on-site when an avation is occurring on Magellan's Easement Tract provision "2" under "A: <u>Grnerol</u> " beginning on e 1), <u>Removal of Stide-Cuttina Teeth from Equipment</u> , e-cutting teeth shall be removed from buckets of avating equipment: <u>Parillel Excaviting Remitred</u> , When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility. Owner needs cate a Magellan pipeline by use of mechanical uss. Owner must perform such locating activity by avating parallel to the Magellan pipeline with such	ity operators with assets in the vici	uity.	End seal Casing Carrier pipe-
Edian for its approval plans for any proposed ivation on the Magellan Easement Tract. No visition on the Magellan Easement Tract shall be menced until Owner has secured Magellan's written oval of the plans, The excavation work shall be in pliance with all applicable laws and regulations, there is also referred to the Common Ground Alliance Practices (referenced in this document). <u>Ingellan Representative must be on-site when an</u> visition is occurring on Magellan's Easement Tract provision "2" under "A: <u>Centerd</u> " beginning on e1), <u>CaseD HGHWAY CFOSSING</u> FIGURE 2 <u>Minimum depth</u> under "A: <u>Centerd</u> " beginning on e1), <u>CaseD HGHWAY CFOSSING</u> FIGURE 2 <u>Minimum disuface of p</u> <u>CaseD HGHWAY CFOSSING</u> FIGURE 2	hand a state of the second	1. It	
FIGURE 1 FIGURE 2 FIGURE 2 FIGURE 2 FIGURE 2 FIGURE 2 FIGURE 1 FIGURE 1 FIGURE 1 FIGURE 1 FIGURE 1 FIGURE 2 FIGURE			CASED RAILROAD CROSSING
Avaition on Magellah Essement Tract shall be mmenced until Owner has secured Magellan's written proval of the plans. The excavation work shall be in mpliance with all applicable havs and regulations. where is also referred to the Common Ground Alliance st Practices (referenced in this document). <u>Magellan Representative must be on-site when an</u> cavation is occurring on Magellan's Easement Tract <i>e provision "2" under "A. <u>General</u>" beginning on ge 1).</i> <u>Removal of Slids-Cuttline Techt from Equipment,</u> te-cutting teeth shall be removed from buckets of cavating equipment: <u>Parallel Excavation</u> , When, in preparation crossing any Magellan pipeline with any other beline or with electric line, communication line, adway or any other structure or facility, Owner needs locate a Magellan to pipeline with such			
America duntil Öwner has secured Magellan's written noval of the plans. The excavation work shall be in pplicance with all applicable laws and regulations. Magellan Representative must be on-site when an avaition is occurring on Magellan's Easement Tract e provision "2" under "A: <u>General</u> " beginning on ge 1). Removal of Slide-Cuttling Techt from Equipment, e-cutting teeth shall be removed from buckets of avaiting equipment: Parallel Excavation line, dway or any other structure or facility, Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avaiting parallel to the Magellan pipeline with such			
An information of the plans. The excavation work shall be in mpliance with all applicable laws and regulations, merris also referred to the Common Ground Alliance st Practices (referenced in this document); <u>Magellan Representative On Site for Excavation</u> , Magellan representative must be on-site when an avaation is occurring on Magellan's Easement Tract <i>provision "2" under "A: <u>General"</u> beginning on ge 1)</i> . <u>Removal of Side-Cuttling Teeth from Equipment</u> , te-cutting teeth shall be removed from buckets of avaating equipment; <u>Parallel Excavation Ine</u> , dway or any other structure of facility, Owner meeds locate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avaating parallel to the Magellan pipeline with such			
 Minimum depth, below dech Marculan Representative on Site for Excavation, Magellan representative must be on-site when an cavation is occurring on Magellan's Easement Tract the provision "2" under "A: <u>General</u>" beginning on ge 1). Remark of Side-Cutting Techt from Fauignent, de-cutting teeth shall be removed from buckets of cavating equipment; Partilet Excavation Required, When, in preparation recossing any Magellan pipeline with any other structure or facility. Owner meeds locate a Magellan pipeline by use of mechanical eans, Owner must perform such locating activity by cavating parallel to the Magellan pipeline with such 			
mer is also referred to the Common Ground Alliance at Practices (referenced in this document). <u>Mingellan Representative On-Site for Evavation</u> . Magellan representative must be on-site when an avation is occurring on Magellan's Essement Tract <i>e provision "2" under "A. <u>General"</u> beginning on ye 1).</i> <u>Removal of Side-Cuttling Teeth from Equipment,</u> e-cuting teeth shall be removed from buckets of avating equipment: <u>Parallel Evavation Required</u> . When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dvay or any other structure or facility, Owner needs ocate a Magellan to the Magellan guile with such	npliance with all applicable laws and	egulations.	Minimum depth c
An and the series of the serie	mer is also referred to the Common C	iround Alliance	
Magellan representative must be on-site when an avation is occurring on Magellan's Easement Tract provision "2" under "A: <u>Greened</u> " beginning on e 1). Interpret the seal pipe Cading Minimum drisuface of p Removal of Side-Cuttling Teeth from Equipment. End seal pipe Cading Minimum drisuface of p c-cutting teeth shall be removed from buckets of avating equipment: Parallel Excavating Required. When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, doway or any other structure or facility. Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avaining parallel to the Magellan pipeline with such Minimum drisuface of p	t Practices (referenced in this docume	ent).	a vent
agellan representative must be on-site when an vation is occurring on Magellan's Easement Tract provision "2" under "A: <u>General</u> " beginning on e1), cutting teeth shall be removed from buckets of vating equipment; <u>artified Excaviting Required</u> , When, in preparation rossing any Magellan pipeline with any other line or with electric line, communication line, way or any other structure or facility, Owner needs cate a Magellan pipeline by use of mechanical as. Owner must perform such locating activity by vating parallel to the Magelian pipeline with such	a contrast of the state of the	Carlos A	
avation is occurring on Magellan's Easement Tract provision "2" under "A: <u>Grneral</u> " beginning on re 1), <u>Removal of Side-Cuttline Teeth from Equipment</u> , e-cutting teeth shall be removed from buckets of avating equipment; <u>Parallel Escavating Remutation line</u> , dway or any other structure or facility. Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such			TT Camer
e provision "2" under "A: <u>General</u> " beginning on te 1), <u>Removal of Side-Cuttline Teeth from Equipment</u> , e-cuting teeth shall be removed from buckets of avating equipment: <u>Parallel Excavating Required</u> , When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility, Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such			
Expression of a linker insignment organized to guidace of p Surface of p CASED HGH-WAY CROSSING FIGURE 2			
Removal of Side-Cutting Techt from Equipment, CASED HGHARY CROSSING Removal for Side-Cutting techt from buckets of cavating equipment; FIGURE 2 Partilet Excavating Required, When, in preparation r crossing any Magellan pipeline with any other preline or with electric line, communication line, advay or any other structure or facility, Owner needs locate a Magellan pipeline by use of mechanical eans, Owner must perform such locating activity by cavating parallel to the Magellan pipeline with such			surface of pavern
e-cutting teeth shall be removed from buckets of avating equipment; <u>Parallel Excavating Required</u> , When, in preparation crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility, Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such			
crossing any Magellan pipeline with any other eline or with electric line, communication line, dway or any other structure or facility, Owner needs ocate a Magellan pipeline by use of mechanical ans, Owner must perform such locating activity by avating parallel to the Magellan pipeline with such	e-cutting teeth shall be removed from		FIGURE 2
	crossing any Magellan pipeline with eline or with electric line, communics dway or any other structure or facility ocate a Magellan pipeline by use of n ans, Owner must perform such locatir avaling parallel to the Magellan pipel	any other tion line, , Owner needs sechanical g activity by	
Page 15 of 17 Page 16 of 17	Page 15 of 17		Page 16 of 17

• ..

Page 17 of 17

N

Minimum depth

-Uncased carrier pipe

Drainage Ditch

∠ Minimum depth below

Surface Of Pavement

UNCASED RAILROAD CROSSING FIGURE 3

ç

below bottom of rail

Drainage ditch

0 ==== C

ç ę

Raitroa

ę

Ha

UNCASED HIGHWAY CROSSING FIGURE 4

Minimum depth

Minimum depth below ground

Minimum depth helow ditch

Uncased Carrier Ape

below ditch

..... κ....



 \leq