DON CLARK
REĞISTER OF DEEDS
SAUNDERS COUNTY NE
2015 June 11 AM 08:28
BOOK GEN 463
PAGE 461 TO 473
INST# 2015-06-147
Electronically Recorded

Return To:

R.J. Shortridge, Esq. Perry, Guthery, Haase & Gessford P.C.L.L.O.

233 South 13th Suite 1400 Lincoln, NE 68508 (402) 476-9200

NOTICE OF COMMENCEMENT

1. The real estate being, or intended to be, improved or directly benefited is:

See attached legal description on Exhibit A.

- 2. a. The contracting owner is: Sandy Pointe Lake Development, LLC.
 - b. The address of the contracting owner is c/o Dan Muhleisen 6321 Doecreek Circle, Lincoln NE 68516.
 - c. The interest of contracting owner in the real estate is: ownership interest.
 - d. The name and address of the fee simple title holder, if other than the contracting owner, is: contracting owner is title holder.
- If, after this Notice of Commencement is recorded, a lien is recorded as to an improvement covered by this Notice of Commencement, the lien has priority from the time this Notice of Commencement is recorded.
- The duration of this Notice of Commencement is until July 1, 2015.
- This Notice of Commencement is limited to the project located in Saunders County, Nebraska, consisting of the Phase I infrastructure development of the Sandy Pointe Lake Subdivision.

	Sandy Pointe Lake Dovelopment, LLC, Contracting Owner By: Its Manager By: Contracting Owner By: By: By: By: By: By: By: By
	Its Manager
STATE OF NEBRASKA)	
) ss. COUNTY OF LANCASTER)	
	1 1 1 1 1 1 2011
The foregoing instrument was acknowledged by Roger K. Severin, a Manager of Sandy Po	inte Lake Development, LLC, a Nebraska limite
iability company, for and on behalf of said lim	ited liability company.
	$\Omega 11$
A GENERAL ROTALY State of Repairs 17 HOBBY J. SHORTHIDGE 12-17/10-22 My Comm. Fau. August 11, 2017	Notary Public
STATE OF NEBRASKA)	,
) SS.	
COUNTY OF LANCASTER)	1/
The foregoing instrument was acknowledged by Dan Muhleisen, a Manager of Sandy Poir iability company, for and on behalf of said lim	before me this 4 day of Mounty, 201 nte Lake Development, LLC, a Nebraska limited liability company.
	m12
	Notary Public
A GENERAL NOTARY - State of Nebraska ROBBY J SHORTFRIDGE THE STATE OF THE PROPERTY STATE	• •

147-2

LEGAL DESCRIPTION

PHASE 1, PARCEL 1

A TRACT OF LAND COMPOSED OF A PORTION OF THE NORTHEAST QUARTER OF SECTION 25, TOWNSHIP 13 NORTH, RANGE 9 EAST OF THE 6TH P.M., A PORTION OF THE EAST HALF OF SECTION 24, TOWNSHIP 13 NORTH, RANGE 9 EAST OF THE 6TH P.M., A PORTION OF THE WEST HALF OF SECTION 19, TOWNSHIP 13 NORTH, RANGE 10 EAST OF THE 6TH P.M., AND A PORTION OF THE NORTHWEST QUARTER OF SECTION 30, TOWNSHIP 13 NORTH, RANGE 10 EAST OF THE 6TH P.M., ALL IN SAUNDERS COUNTY, NEBRASKA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF THE SOUTHWEST QUARTER OF SECTION 30, TOWNSHIP 13 NORTH, RANGE 10 EAST OF THE 6TH P.M.; THENCE EASTERLY ON THE SOUTH LINE OF SAID SOUTHWEST QUARTER ON AN ASSUMED BEARING OF N86°51'32"E, A DISTANCE OF 688.90 TO A POINT; THENCE NO3°08'28"W, A DISTANCE OF 3,487.74' TO THE TRUE POINT OF BEGINNING; THENCE \$87*38'19"W, A DISTANCE OF 869,97' TO A POINT; THENCE N39'00'59'W, A DISTANCE OF 564.45' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 14°01'39", A RADIUS OF 1,070.00", AN ARC LENGTH OF 261.97', A CHORD LENGTH OF 261.31', A TANGENT LENGTH OF 131.64', AND A CHORD BEARING OF N32°00'09"W TO A POINT; THENCE N24°59'20"W, A DISTANCE OF 243.65' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 02°10'18", A RADIUS OF 2,470.00', AN ARC LENGTH OF 93.61', A CHORD LENGTH OF 93.61', A TANGENT LENGTH OF 46.81', AND A CHORD BEARING OF N23°54'11"W TO A POINT; THENCE N22°49'02"W, A DISTANCE OF 219.79' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 17°47'57". A RADIUS OF 1,120:00', AN ARC LENGTH OF 347:93', A CHORD LENGTH OF 346:54', A TANGENT LENGTH OF 175,38', AND A CHORD BEARING OF N13°55'03'W TO A POINT: THENCE NO5°01'05'W, A DISTANCE OF 284.62' TO A POINT OF INTERSECTION WITH THE NORTH RIGHT-OF-WAY LINE OF COUNTY ROAD "B"; THENCE S87°42'26'W, ON THE NORTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 110.12' TO A POINT, THENCE NOS 01 05 W, A DISTANCE OF 214,88' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 24°54'03", A RADIUS OF 425.00', AN ARC LENGTH OF 184.71, A CHORD LENGTH OF 183.26', A TANGENT LENGTH OF 93.83', AND A CHORD BEARING OF NO7°25'57"E TO A POINT; THENCE N19°52'58"E. A DISTANCE OF 72.84" TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 27°10'53", A RADIUS OF 150.00', AN ARC LENGTH OF 71.16', A CHORD LENGTH OF 70.50', A TANGENT LENGTH OF 36.26', AND A CHORD BEARING OF N06°17'32"E TO A POINT; THENCE N07°17'55"W, A DISTANCE OF 765.58' TO A POINT OF CURVATURE FOR A NON-TANGENT CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 41°15'27", A RADIUS OF 130.00', AN ARC LENGTH OF 93.61', A CHORD LENGTH OF 91.60', A TANGENT LENGTH-OF 48.94', AND A CHORD BEARING OF N38°41'24"W TO A POINT; THENCE S77°54'28'W, A DISTANCE OF 113.07' TO A POINT OF INTERSECTION WITH A LINE LOCATED 50.00' EAST OF THE CENTER LINE OF THE LOCATED RAILS OF AN EXISTING RAILROAD SPUR, SAID POINT BEING A POINT OF CURVATURE FOR A NON-TANGENT CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 01°52'40", A RADIUS OF 830,00', AN ARC LENGTH OF 27.20' ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A CHORD LENGTH OF 27.20', A TANGENT LENGTH OF 13.60', AND A CHORD BEARING OF N13°01'52'W TO A POINT; THENCE N13°58'12"W ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS A DISTANCE OF 2,105,50' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 11°01'07", A RADIUS OF 550.00', AN ARC LENGTH OF 105.77' ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A CHORD LENGTH OF 105.61', A TANGENT LENGTH OF 53.05', AND A CHORD BEARING OF NO8°27'38"W TO A POINT; THENCE NO2°57'05'W ON A LINE 50,00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A DISTANCE OF 1,232,25' TO A POINT; THENCE S10°38'05"E, A DISTANCE OF 43.75' TO A POINT; THENCE \$30°41'40"E, A DISTANCE OF 19.70' TO A POINT TO A POINT; THENCE S07°23'02"E, A DISTANCE OF 63,55' TO A POINT; THENCE \$28°32'06"E, A DISTANCE OF 66.08' TO A POINT; THENCE \$48°18'36"E, A DISTANCE OF 45.96' TO A POINT; THENCE S80°24'12"E, A DISTANCE OF 44.72' TO A POINT: THENCE N82°34'31"E, A DISTANCE OF 132,08' TO A POINT: THENCE N60°38'44"E, A DISTANCE OF 132.79' TO A POINT; THENCE N33°52'52"E, A DISTANCE OF 80.00' TO A POINT: THENCE N12°21'14"E, A DISTANCE OF 82.47' TO A POINT; THENCE NO6°53'10"E, A DISTANCE OF 130.04' TO A POINT; THENCE N03°09'08"W, A DISTANCE OF 63,29" TO A POINT; THENCE N25°29'57"W, A DISTANCE OF 73.01' TO A POINT; THENCE N10°27'19"W, A DISTANCE OF 112.37' TO A POINT; THENCE NO6°17'31"E, A DISTANCE OF 90.91' TO A POINT; THENCE N19°16'04'W, A DISTANCE OF 155.64' TO A POINT; THENCE N14°11'37"W, A DISTANCE OF 183.91' TO A POINT; THENCE N30°44'18"E, A DISTANCE OF 95.88' TO A POINT; THENCE N86°59'30"E, A DISTANCE OF 34.97' TO A POINT; THENCE N74°24'40"E, A DISTANCE OF 64.51' TO A POINT; THENCE N16°33'53"E, A DISTANCE OF 119:50' TO A POINT; THENCE 882°25'28"E, A DISTANCE OF 118.34' TO A POINT: THENCE 866°13'58"E, A DISTANCE OF 140.99' TO A POINT; THENCE S73°29'17"E, A DISTANCE OF 99.17' TO A POINT; THENCE S08°40'54"W, A DISTANCE OF 99.11' TO A POINT: THENCE S34°42'36"W, A DISTANCE OF 101,34' TO A POINT: THENCE \$22°58'42"W, A DISTANCE OF 72.04' TO A POINT; THENCE \$01°54'25"E, A DISTANCE OF 59.78" TO A POINT; THENCE \$11*30'22"E, A DISTANCE OF 50.93' TO A POINT; THENCE \$24'28'39"E, A DISTANCE OF 69.00" TO A POINT; THENCE S07°46'47"W, A DISTANCE OF 29.66' TO A POINT; THENCE S33°35'47"E, A DISTANCE OF 16.82' TO A POINT; THENCE S01°48'32'W, A DISTANCE OF 42,01' TO A POINT: THENCE 804°10'18"E, A DISTANCE OF 76.54' TO A POINT: THENCE \$18°00'55"E, A DISTANCE OF 92.11' TO A POINT; THENCE \$32°44'26"E, A DISTANCE OF 89,17' TO A POINT; THENCE \$20°05'52"E, A DISTANCE OF 115,09' TO A POINT; THENCE \$17°02'34"E, A DISTANCE OF 140.77" TO A POINT; THENCE S11°00'12"E, A DISTANCE OF 26.97' TO A POINT; THENCE S12°58'25"E, A DISTANCE OF 42:68' TO A POINT; THENCE S03"44'50"W, A DISTANCE OF 60.33' TO A POINT; THENCE \$23°05'27"W, A DISTANCE OF 38.03' TO A POINT: THENCE S03°59'55"W, A DISTANCE OF 21.63' TO A POINT: THENCE S04°23'43"E. A DISTANCE OF 57.60' TO A POINT, THENCE \$18"24"44"E, A DISTANCE OF 76.72" TO A POINT: THENCE \$48°56'41"E, A DISTANCE OF 53,92' TO A POINT: THENCE

\$12°30'33"W. A DISTANCE OF 48:38" TO A POINT: THENCE \$49°11'36"W. A DISTANCE OF 75.32' TO A POINT: THENCE S60°34'22"W, A DISTANCE OF 108.46' TO A POINT; THENCE \$78°46'29"W, A DISTANCE OF 145.94' TO A POINT; THENCE N63°01'04"W. A DISTANCE OF 107.93' TO A POINT: THENCE N88°40'22'W, A DISTANCE OF 81.27' TO A POINT; THENCE \$66°54'26'W, A DISTANCE OF 134,93! TO A POINT; THENGE S27°44'18"W, A DISTANCE OF 63.59" TO A POINT: THENCE \$33°15'34"E, A DISTANCE OF 70.74" TO A POINT: THENCE \$38°16'12"E, A DISTANCE OF 115.79' TO A POINT; THENCE \$70°00'40"E, A DISTANCE OF 100.72" TO A POINT; THENCE \$61°52'10"E, A DISTANCE OF 99.50" TO A POINT; THENCE \$23°26'06"E, A DISTANCE OF 38.97" TO A POINT; THENCE \$18°22'33"W, A DISTANCE OF 45.89' TO A POINT; THENCE \$46°09'24"W, A DISTANCE OF 185.62' TO A POINT; THENCE S77°02'57"W, A DISTANCE OF 44.45" TO A POINT; THENCE S72°36'50'W, A DISTANCE OF 84.07' TO A POINT; THENCE S07°14'53"W, A DISTANCE OF 46.03' TO A POINT; THENCE S39°10'44"E, A DISTANCE OF 43.81' TO A POINT; THENCE S65°00'46"E, A DISTANCE OF 43.16' TO A POINT; THENCE \$54°42'56"E, A DISTANCE OF 50.64' TO A POINT; THENCE \$21°28'53"E, A DISTANCE OF 83.79' TO A POINT; THENCE \$37°16'38"E, A DISTANCE OF 52.42' TO A POINT; THENCE S29°41'32"E, A DISTANCE OF 90.55' TO A POINT: THENCE SO6"11'41"E, A DISTANCE OF 171.08' TO A POINT; THENCE S41°04'02"W, A DISTANCE OF 82:90' TO A POINT; THENCE S30°47'37"W, A DISTANCE OF 57:50 TO A POINT; THENCE S21°19'15"E, A DISTANCE OF 97.42" TO A POINT; THENCE 826°58'04"E, A DISTANCE OF 85,33' TO A POINT; THENCE \$59'47'29"E, A DISTANCE OF 72.37' TO A POINT; THENCE \$62°45'10"E, A DISTANCE OF 46.39' TO A POINT; THENCE S25°49'62"E, A DISTANCE OF 34.53' TO:A POINT; THENGE \$10°57'17"E, A DISTANCE OF 54.40' TO A POINT; THENCE 803°07'36"W, A DISTANCE OF 68.13' TO A POINT; THENCE \$16°05'47"E, A DISTANCE OF 68.16' TO A POINT; THENCE \$28°07'03"W, A DISTANCE OF 129.56' TO A POINT; THENCE S07°40'45"E, A DISTANCE OF 49:28" TO A POINT; THENCE \$34°23'41"E, A DISTANCE OF 95.73' TO A POINT; THENCE \$09°32'31"E, A DISTANCE OF 131,09' TO A POINT: THENCE S02°36'47"W, A DISTANCE OF 55.31" TO A POINT; THENCE \$78°49'25"W, A DISTANCE OF 43.20" TO A POINT; THENCE S02°10'32"W, A DISTANCE OF 68.29" TO A POINT; THENCE S17"06'17"E, A DISTANCE OF 126,34" TO A POINT; THENCE S26"02"51"E, A DISTANCE OF 110,11" TO A POINT, THENCE S33*16'38"E, A DISTANCE OF 359.23' TO A POINT OF CURVATURE FOR A NON-TANGENT CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 01°20'32", A RADIUS OF 1,030.00', AN ARC LENGTH OF 24.13', A CHORD LENGTH OF 24.13', A TANGENT LENGTH OF 12.06', AND A CHORD BEARING OF N80°59'51"E TO A POINT: THENGE N81°40'07"E. A DISTANCE OF 75.87" TO A POINT, THENCE NO8°19'53"W, A DISTANCE OF 180,77" TO A POINT; THENCE N67°38'11"E, A DISTANCE OF 71.89' TO A POINT; THENCE S87°14'07"E, A DISTANCE OF 71.59' TO A POINT; THENCE N85°33'21"E, A DISTANCE OF 35.94' TO A POINT; THENCE \$87°05'11"E, A DISTANCE OF 85.26' TO A POINT; THENCE N02°09'31"E, A DISTANCE OF 80,00' TO A POINT; THENCE N68°08'29'W, A DISTANCE OF 107.06' TO A POINT; THENCE N36°27'28'W, A DISTANCE OF 74.49' TO A POINT; THENCE N22°23'05"W, A DISTANCE OF 125.53' TO A POINT; THENCE NO6°36'41"W, A DISTANCE OF 118:64' TO A POINT; THENCE N23°29'33"E, A DISTANCE OF 116.17' TO A POINT; THENCE N56°11'12"E, A DISTANCE OF 135.14' TO A POINT; THENCE N40°58'02"E, A DISTANCE OF 74.86' TO A POINT; THENCE N56°09'28"E, A DISTANCE OF 98.31' TO A POINT: THENCE N37°19'48"E, A DISTANCE OF 64,54' TO A POINT; THENCE N31°02'04"E, A DISTANCE OF 47.70' TO A POINT; THENCE N16°14'30"E, A

DISTANCE OF 67.17' TO A POINT; THENCE N16°59'12"W, A DISTANCE OF 63.81' TO A POINT: THENCE N19°17'04"W, A DISTANCE OF 132.97' TO A POINT: THENCE N19°52'54"E, A DISTANCE OF 137,94' TO A POINT; THENCE N19°10'30"E, A DISTANCE OF 137.35' TO A POINT; THENCE N00°47'36"E, A DISTANCE OF 63.36" TO A POINT: THENCE N30°01'26"W, A DISTANCE OF 71.46" TO A POINT; THENCE N31°54'33'W, A DISTANCE OF 134.45' TO A POINT; THENCE NO6°48'15"E, A DISTANCE OF 136.26' TO A POINT; THENCE NO3º46'55"E. A DISTANCE OF 134:22" TO A POINT: THENCE N24°37'21"W, A DISTANCE OF 146.51' TO A POINT; THENCE N38°22'06"W, A DISTANCE OF 135.83' TO A POINT: THENCE N13°25'46"E, A DISTANCE OF 108.82' TO A POINT: THENCE N36°24'28"E, A DISTANCE OF 171.64' TO A POINT; THENCE N26°57'38"E. A DISTANCE OF 60.02' TO A POINT: THENCE N01°15'43"W, A DISTANCE OF 52.84' TO A POINT; THENCE N13°23'22"W, A DISTANCE OF 131.27' TO A POINT; THENCE NO4°31'34'W, A DISTANCE OF 126.96' TO A POINT; THENCE NO3°56'40'W, A DISTANCE OF 130.03' TO A POINT; THENCE NO3°41'08'W, A DISTANCE OF 107.19' TO A POINT; THENCE N42°10'01'W, A DISTANCE OF 190.47' TO A POINT; THENCE NO0°31'33"E, A DISTANCE OF 130.81' TO A POINT; THENCE N14°34'33"E, A DISTANCE OF 135.68' TO A POINT; THENCE N19°21'33"E, A DISTANCE OF 132.31' TO A POINT; THENCE N02*13'07'W, A DISTANCE OF 72.48' TO A POINT; THENCE N27*08'34"W, A DISTANCE OF 110.88' TO A POINT; THENCE N43°27'11"W. A DISTANCE OF 130.00' TO A POINT; THENCE N44"21'45"W, A DISTANCE OF 207.01' TO A POINT; THENCE N27°16'04"W, A DISTANCE OF 122.81" TO A POINT; THENCE NO5°41'40"E, A DISTANCE OF 122.45' TO A POINT; THENCE N17°21'41"E, A DISTANCE OF 96.65' TO A POINT: THENCE N41°14'00"E. A DISTANCE OF 108.44' TO A POINT: THENCE N10°11'31'W, A DISTANCE OF 80.55' TO A POINT; THENCE N27°06'07'W, A DISTANCE OF 131.38' TO A POINT; THENCE N38°34'29"W, A DISTANCE OF 69:57' TO A POINT; THENCE S61°39'48"W, A DISTANCE OF 74:49' TO A POINT: THENCE \$1808'53"W, A DISTANCE OF 129.37' TO A POINT; THENCE \$37°31'13"W, A DISTANCE OF 147.79' TO A POINT; THENCE 870°32'39"W, A DISTANCE OF 147.79' TO A POINT: THENCE N76°25'55"W, A DISTANCE OF 147.79' TO A POINT; THENCE N43°24'29"W, A DISTANCE OF 147.79' TO A POINT, THENCE N14°43'16"W, A DISTANCE OF 151.63' TO A POINT: THENCE N26°58'38"E. A DISTANCE OF 151.63' TO A POINT; THENCE N32°43'27"E. A DISTANCE OF 126.55' TO A POINT; THENCE N37°34'49"E, A DISTANCE OF 131.12' TO A POINT: THENCE N30°25'45"E, A DISTANCE OF 104,62" TO A POINT; THENCE N38°53'48"E, A DISTANCE OF 111,25' TO A POINT: THENCE N70°02'04"E, A DISTANCE OF 117.82' TO A POINT: THENCE N79"28'07"E, A DISTANCE OF 117.87' TO A POINT; THENCE \$85"57"31"E, A DISTANCE OF 108.45' TO A POINT: THENCE \$66°21'05"E, A DISTANCE OF 107.11' TO A POINT: THENCE S62'46'15'E. A DISTANCE OF 86.84' TO A POINT: THENCE \$41°37'23"E, A DISTANCE OF 89.59' TO A POINT: THENCE \$32°25'04"E, A DISTANCE OF 170.68' TO A POINT: THENCE S39°25'20"E, A DISTANCE OF 135.54' TO A POINT; THENCE N68°10'14"E, A DISTANCE OF 80,84" TO A POINT; THENCE N87°13'32"E, A DISTANCE OF 113.22' TO A POINT; THENCE N31°14'35"E, A DISTANCE OF 91.61' TO A POINT; THENCE N18°16'38"E, A DISTANCE OF 81.75' TO A POINT: THENCE NO1°34'29"E, A DISTANCE OF 89.21' TO A POINT: THENCE N64°13'08"E, A DISTANCE OF 214.20' TO A POINT OF CURVATURE FOR A NON-TANGENT CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 00°19'46", A RADIUS OF 560.00', AN ARC LENGTH OF 3.22', A CHORD LENGTH OF 3.22', A TANGENT LENGTH OF 1.61', AND A CHORD BEARING OF

N21°27'54'W TO A POINT; THENCE N21°37'47'W, A DISTANCE OF 67.93' TO A POINT; THENCE N68°22'13"E, A DISTANCE OF 139.65' TO A POINT; THENCE \$30°34'16"E, A DISTANCE OF 73.69" TO A POINT; THENCE \$07°30'56"W, A DISTANCE OF 29.20' TO A POINT; THENCE S62°36'55"E, A DISTANCE OF 24.55" TO A POINT; THENCE \$21°17'25"E, A DISTANCE OF 59.09' TO A POINT: THENCE \$28°21'06"E, A DISTANCE OF 56.89' TO A POINT; THENCE \$13°12'07"E, A DISTANCE OF 146:26"TO A POINT; THENCE S08"44'22"W, A DISTANCE OF 98:98" TO A POINT; THENCE \$35°50'34"W, A DISTANCE OF 85.13' TO A POINT; THENCE \$13°13'47"E, A DISTANCE OF 67.26' TO A POINT; THENCE \$32°10'06"E, A DISTANCE OF 146,45' TO A POINT; THENCE \$25°47'45"E, A DISTANCE OF 93.00' TO A POINT; THENCE S05°03'25"E, A DISTANCE OF 91.30' TO A POINT; THENCE \$24°09'34"E, A DISTANCE OF 39.60' TO A POINT; THENCE \$45°27'40"W, A DISTANCE OF 172,32' TO A POINT; THENCE \$02°31'38"W, A DISTANCE OF 55,35' TO A POINT; THENCE \$20°56'15"E, A DISTANCE OF 63,43" TO A POINT; THENCE S25°52'34"E, A DISTANCE OF 66.99' TO A POINT; THENCE S20°07'11"W, A DISTANCE OF 56:06' TO A POINT; THENCE \$30°49'42"W, A DISTANCE OF 109:35' TO A POINT; THENCE \$50°18'31"W, A DISTANCE OF 115,15" TO A POINT; THENCE S06°48'48"W, A DISTANCE OF 80.00' TO A POINT; THENCE S58°33'29"E, A DISTANCE OF 146.54' TO A POINT; THENCE 848°49'35"E, A DISTANCE OF 138.26' TO A POINT; THENCE \$31°53'12"E, A DISTANCE OF 71.45' TO A POINT; THENCE \$33*17'19'W, A DISTANCE OF 245.23' TO A POINT; THENCE S44°45'04"W, A DISTANCE OF 169.40' TO A POINT; THENCE S44°12'35"W, A DISTANCE OF 84.40' TO A POINT; THENCE S56°21'34"W, A DISTANCE OF 47.13' TO A POINT; THENCE \$12°16'57"E, A DISTANCE OF 68.79' TO A POINT; THENCE \$79°02'17"E, A DISTANCE OF 189.14" TO A POINT; THENCE 861°11'00"E, A DISTANCE OF 119.39' TO A POINT; THENCE \$42°36'08"E, A DISTANCE OF 141.28' TO A POINT; THENCE S01°57'02"E, A DISTANCE OF 135.43' TO A POINT; THENCE \$20°24'36"W, A DISTANCE OF 122.56' TO A POINT; THENCE \$39°50'25"W, A DISTANCE OF 132.82' TO A POINT; THENCE \$51°47'54"W, A DISTANCE OF 135.92' TO A POINT; THENCE S39°29'22"W, A DISTANCE OF 110.53' TO A POINT; THENCE \$04°27'41"E, A DISTANCE OF 76.83' TO A POINT: THENCE \$82°24'12"E, A DISTANCE OF 81.38' TO A POINT; THENCE \$60°42'05"E, A DISTANCE OF 23.94' TO A POINT; THENCE S62°02'50"E, A DISTANCE OF 114.57' TO A POINT; THENCE S57°31'41"E, A DISTANCE OF 129.46" TO A POINT; THENCE \$35°28'05"E, A DISTANCE OF 71.93' TO A POINT; THENCE \$11*49'36"E, A DISTANCE OF 124,97' TO A POINT; THENCE \$18°08'13"W, A DISTANCE OF 59.95' TO A POINT; THENCE S27°53'59"W, A DISTANCE OF 145.90' TO A POINT; THENCE \$14°08'15"W, A DISTANCE OF 19.46' TO A POINT; THENCE \$06°37'09"E, A DISTANCE OF 37,92' TO A POINT; THENCE S32°12'22"E, A DISTANCE OF 46.37' TO A POINT; THENCE \$33°55'40"E, A DISTANCE OF 158,36" TO A POINT; THENCE 806°35'28"E, A DISTANCE OF 163:42' TO A POINT; THENCE S07°03'50"E, A DISTANCE OF 110,28" TO A POINT; THENCE S12"37'25"E, A DISTANCE OF 58.67' TO A POINT; THENCE S02°07'26"E, A DISTANCE OF 73.25' TO A POINT; THENCE \$10°24'10"W, A DISTANCE OF 114,69' TO A POINT; THENCE \$25°59'10'W, A DISTANCE OF 62.66' TO A POINT; THENCE \$04°44'06'W, A DISTANCE OF 197.29' TO A POINT; THENCE 802°30'30"W, A DISTANCE OF 145,15' TO A POINT; THENCE S06°03'34"W, A DISTANCE OF 164,99' TO A POINT: THENCE \$25°04'21"W, A DISTANCE OF 57.85' TO A POINT; THENCE \$38°41'02'W, A DISTANCE OF 86.03' TO A POINT; THENCE \$48°15'01"W, A DISTANCE OF 69.82' TO A POINT; THENCE \$69°54'54"W, A DISTANCE OF 85.45' TO A POINT; THENCE S74°23'12"W, A DISTANCE OF 44.49' TO A POINT; THENCE S32°16'21"W,

A DISTANCE OF 54.46' TO A POINT: THENCE S09°47'06"E, A DISTANCE OF 29.83' TO A POINT; THENCE \$44°28'17"E, A DISTANCE OF 50.85' TO A POINT; THENCE S76°16'01"E, A DISTANCE OF 22.20' TO A POINT; THENCE N43°24'25"E, A DISTANCE OF 35.47' TO A POINT; THENCE \$71°12'52"E, A DISTANCE OF 23.15' TO A POINT; THENCE 808°34'40"E, A DISTANCE OF 36.52' TO A POINT; THENCE \$42°03'45'W, A DISTANCE OF 55.89' TO A POINT; THENCE \$53°17'23'W, A DISTANCE OF 156:44' TO A POINT; THENCE S62°15'35'W, A DISTANCE OF 82,22' TO A POINT; THENCE S76°55'45"W, A DISTANCE OF 83.60° TO A POINT; THENCE S66°47'29"W, A DISTANCE OF 79.28' TO A POINT; THENCE S33°42'07"W, A DISTANCE OF 40.41' TO A POINT; THENCE 928'00'22"W, A DISTANCE OF 22.11' TO A POINT; THENCE S61°28'10"W, A DISTANCE OF 106.25' TO A POINT; THENCE 575"36"19"W, A DISTANCE OF 138.96" TO A POINT; THENCE 850°02'48'W, A DISTANCE OF 108.82' TO A POINT; THENCE \$73°23'29'W, A DISTANCE OF 72.47' TO A POINT: THENCE N82°30'12"W, A DISTANCE OF 57.84' TO A POINT; THENCE N58°33'00"W, A DISTANCE OF 117.47' TO A POINT; THENCE \$76°36'30"W. A DISTANCE OF 125.49" TO A POINT; THENCE NO8°19'53"W. A DISTANCE OF 197.73" TO A POINT; THENCE \$81°40'07"W, A DISTANCE OF 70.87" TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 01°20'32", A RADIUS OF 970.00', AN ARC LENGTH OF 22.72', A CHORD LENGTH OF 22.72', A TANGENT LENGTH OF 11.36', AND A CHORD BEARING OF \$80°59'51"W TO A POINT: THENCE S09°40'25"E, A DISTANCE OF 60.00' TO A POINT: THENCE \$27°48'16"W, A DISTANCE OF 63.33' TO A POINT; THENCE \$07°17'55"E, A DISTANCE OF 73.94' TO A POINT; THENCE S07°46'48"E, A DISTANCE OF 125.00' TO A POINT, THENCE S09°47'41"E, A DISTANCE OF 66.40' TO A POINT, THENCE S04°28'16"E, A DISTANCE OF 58,73' TO A POINT; THENCE S06°43'58"E, A DISTANCE OF 75.29' TO A POINT; THENCE \$10°52'29"E, A DISTANCE OF 67.41' TO A POINT; THENCE 637°29'12"E, A DISTANCE OF 58.83' TO A POINT; THENCE 822°37'52"E, A DISTANCE OF 55.37' TO A POINT; THENCE \$26°46'54"E, A DISTANCE OF 72.69' TO A POINT; THENCE \$10°23'07"E, A DISTANCE OF 77.31' TO A POINT; THENCE S03°57'33"E, A DISTANCE OF 129.19' TO A POINT; THENCE S08°42'32"W, A DISTANCE OF 43.62' TO A POINT; THENCE S09°48'48"E, A DISTANCE OF 64.56' TO A POINT; THENCE \$25°42'10"W, A DISTANCE OF 63.96' TO A POINT; THENCE S47°04'04"W, A DISTANCE OF 172.14' TO A POINT; THENCE S05°27'27"E, A DISTANCE OF 122.67' TO A POINT; THENCE S03°27'06"E, A DISTANCE OF 135.05' TO A POINT; THENCE S22°04'07"W, A DISTANCE OF 33.70' TO A POINT; THENCE \$14°25'54"E, A DISTANCE OF 131.77' TO A POINT; THENCE \$17°30'31"E, A DISTANCE OF 132.06' TO A POINT; THENCE \$04°43'23"E, A DISTANCE OF 129,48' TO A POINT; THENCE S41°46'33"E, A DISTANCE OF 95.47' TO A POINT; THENCE \$08°08'54"E, A DISTANCE OF 40.60' TO A POINT; THENCE \$13°04'35"E, A DISTANCE OF 102.76' TO A POINT; THENCE \$37°14'01"E, A DISTANCE OF 29.65' TO A POINT; THENCE \$44°03'08"E, A DISTANCE OF 80.36" TO A POINT; THENCE S24°50'59"E, A DISTANCE OF 52,25' TO A POINT; THENCE N68°58'01"E, A DISTANCE OF 219.55' TO A POINT; THENCE N06°53'00"W, A DISTANCE OF 575.28' TO A POINT; THENCE N44°17'06"E, A DISTANCE OF 291,94' TO A POINT; THENCE N75°06'31"E, A DISTANCE OF 160.35' TO A POINT; THENCE S78°59'55"E, A DISTANCE OF 166.45' TO A POINT; THENCE S41°33'04"E, A DISTANCE OF 276.84' TO A POINT; THENCE S07°46'17"W, A DISTANCE OF 495.57" TO A POINT: THENCE S07°14'56"E, A DISTANCE OF 131.05' TO A POINT: THENCE N48°05'37"E, A DISTANCE OF 159.75' TO A POINT; THENCE N15°32'47"E, A DISTANCE OF 392.86' TO A POINT; THENCE N59°32'45"W, A

DISTANCE OF 10.90' TO A POINT; THENCE NO7°23'22"E, A DISTANCE OF 21.06' TO A POINT; THENCE S89°30'07"E, A DISTANCE OF 66,75' TO A POINT; THENCE S71°30'47"E, A DISTANCE OF 48.18" TO A POINT; THENCE \$33°34'02"E, A DISTANCE OF 22.74' TO A POINT; THENCE \$21°37'26"W, A DISTANCE OF 22.05' TO A POINT; THENCE \$24°51'36"E, A DISTANCE OF 51.97' TO A POINT; THENCE S21°04'16"E, A DISTANCE OF 39.08" TO A POINT; THENCE \$30°16'29"E, A DISTANCE OF 78:95' TO A POINT; THENCE N70°42'33"E, A DISTANCE OF 43:69' TO A POINT; THENCE NO8°17'54"W, A DISTANCE OF 87.93' TO A POINT; THENCE N04°02'13'W, A DISTANCE OF 56.97' TO A POINT; THENCE N20°47'44"E, A DISTANCE OF 45.02' TO A POINT; THENCE NO2º46'00"E, A DISTANCE OF 29.21' TO A POINT; THENCE N37°45'06"W, A DISTANCE OF 44.04" TO A POINT; THENCE N17°21'01"W, A DISTANCE OF 38.99' TO A POINT; THENCE N03°31'29"E, A DISTANCE OF 143.39' TO A POINT; THENCE N24°59'48"E, A DISTANCE OF 34.47' TO A POINT; THENCE N13'00'01'W, A DISTANCE OF 102.52' TO A POINT: THENCE N14°13'29"E, A DISTANCE OF 133.79" TO A POINT: THENCE N25°20'24'W, A DISTANCE OF 133.47' TO A POINT; THENCE N00°47'55"W, A DISTANCE OF 84.95' TO A POINT; THENCE N14"54'41"E, A DISTANCE OF 161,30' TO A POINT; THENCE NO0°30'25"E, A DISTANCE OF 203.57' TO A POINT: THENCE N14°28'47"W, A DISTANCE OF 63.33' TO A POINT; THENCE N32°20'23'W, A DISTANCE OF 45.96' TO A POINT; THENCE N62°21'43'W, A DISTANCE OF 51.07' TO A POINT; THENCE N18'18'39"W, A DISTANCE OF 61.52' TO A POINT: THENCE N53°08'34"E, A DISTANCE OF 50,66" TO A POINT: THENCE N71°02'45"E, A DISTANCE OF 60.43' TO A POINT; THENCE N54°12'07"E, A DISTANCE OF 136.12' TO A POINT; THENCE NO8'55'07"E, A DISTANCE OF 264,06' TO A POINT; THENCE N29°07'21"W, A DISTANCE OF 166.08' TO A POINT; THENCE N23°09'54"E. A DISTANCE OF 141.36' TO A POINT: THENCE N03°49'10"E. A DISTANCE OF 74.36" TO A POINT: THENCE N07°45'42"W. A DISTANCE OF 179.66' TO A POINT; THENCE NO1°24'51"W, A DISTANCE OF 77.82' TO A POINT: THENCE N10°53'59"E, A DISTANCE OF 93.13" TO A POINT: THENCE N04°43'59"W, A DISTANCE OF 138.43' TO A POINT; THENCE N02°43'29"E, A DISTANCE OF 116.46' TO A POINT; THENCE NO2°20'09"E, A DISTANCE OF 188.98' TO A POINT: THENCE N15°11'12"W, A DISTANCE OF 39.69' TO A POINT; THENCE NO7°47'48"E, A DISTANCE OF 69.64" TO A POINT; THENCE N00°44'35"E, A DISTANCE OF 62.95' TO A POINT; THENCE N20°10'25'W, A DISTANCE OF 26.25' TO A POINT; THENCE NO6"52'43"E, A DISTANCE OF 50.66' TO A POINT; THENCE N36°26'28"W, A DISTANCE OF 29.84' TO A POINT: THENCE N00°14'13"E, A DISTANCE OF 71.42' TO A POINT: THENCE N15°08'09'W, A DISTANCE OF 93.91' TO A POINT: THENCE NO4°07'49"E, A DISTANCE OF 45.05' TO A POINT; THENCE NO9°24'31"W, A DISTANCE OF 52.41' TO A POINT; THENCE N07°44'14"E, A DISTANCE OF 24.12' TO A POINT; THENCE NO1°29'53'W, A DISTANCE OF 147.16' TO A POINT: THENCE NO3º44'19"E, A DISTANCE OF 86.15' TO A POINT: THENCE NOO'18'40"E, A DISTANCE OF 108.10' TO A POINT; THENCE N13°05'23"W, A DISTANCE OF 86.22" TO A POINT; THENCE N01°28'30"W, A DISTANCE OF 108.02' TO A POINT: THENCE N76'47'35"W, A DISTANCE OF 43.60' TO A POINT; THENCE N33°43'51"W, A DISTANCE OF 18.35' TO A POINT; THENCE N42°03'41"E, A DISTANCE OF 81.42' TO A POINT; THENCE N33°40'33"E, A DISTANCE OF 45.75' TO A POINT; THENCE NO2°17'14'W, A DISTANCE OF 191,62' TO A POINT; THENCE N26°12'58"W, A DISTANCE OF 74.11" TO A POINT: THENCE N00°42'43"W, A DISTANCE OF 47.08' TO A POINT; THENCE N20°57'05"E, A DISTANCE OF 50.73' TO A POINT; THENCE NO2°27'00'W, A DISTANCE OF 92.90' TO A POINT; THENCE N10°05'17"W, A DISTANCE OF 183,56' TO A POINT!

THENCE N18°13'30"E, A DISTANCE OF 77.46" TO A POINT, THENCE N01°20'06"E, A DISTANCE OF 91.20' TO A POINT; THENCE N16"39"03"W, A DISTANCE OF 57.76' TO A POINT: THENCE NO8'53'45"E, A DISTANCE OF 72.86' TO A POINT, THENCE N31°56'50'W, A DISTANCE OF 52.59' TO A POINT;;THENCE NO7"11'22"E, A DISTANCE OF 42.12' TO A POINT; THENCE N14°18'43"W, A DISTANCE OF 37.50' TO A POINT; THENCE NO6"12'52"E, A DISTANCE OF 71.41' TO A POINT: THENCE N15'32'19"W, A DISTANCE OF 61.89" TO A POINT; THENCE N09°44'26"E, A DISTANCE OF 35:87' TO A POINT; THENCE N10°32'38"W, A DISTANCE OF 75,93' TO A POINT; THENCE NO3°14'05"E, A DISTANCE OF 112,86' TO A POINT; THENCE N32°37'16'W, A DISTANCE OF 55.31' TO A POINT; THENCE N12°34'57"E. A DISTANCE OF 91.74" TO A POINT; THENCE N03°04'52"E, A DISTANCE OF 22,91' TO A POINT OF INTERSECTION WITH THE NORTH LINE OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 19. TOWNSHIP 13 NORTH, RANGE 10 EAST OF THE 6TH P.M.; THENCE NB7°49'44"E. ON THE NORTH LINE OF SAID NORTHWEST QUARTER OF THE NORTHWEST QUARTER, A DISTANCE OF 41.08' TO A POINT OF INTERSECTION WITH AN EAST LINE OF A TRACT OF LAND DESCRIBED IN WARRANTY DEED, BOOK 101, PAGE 377, RECORDS OF SAUNDERS COUNTY; THENCE S02°18'53"E, ON A EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 1321.25' TO A POINT TO A POINT OF INTERSECTION WITH AN EAST LINE OF A TRACT OF LAND DESCRIBED IN WARRANTY DEED, BOOK 101, PAGE 337, RECORDS OF SAUNDERS COUNTY; THENCE S02°16'35"E, ON A EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 1,318.69' TO A POINT ON THE SOUTH LINE OF THE NORTHWEST QUARTER OF SAID SECTION 19; THENCE S02°16'35"E, ON THE EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 1,318,69' TO A POINT ON THE SOUTH LINE OF NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SAID SECTION 19; THENCE S02°16'35"E, ON A LINE 256.00' EAST OF AND PARALLEL WITH AN EAST LINE OF A TRACT OF LAND DESCRIBED IN WARRANTY DEED, BOOK 121, PAGE 227, RECORDS OF SAUNDERS COUNTY, A DISTANCE OF 320.00' TO A POINT; THENCE \$87°44'52"W, ON A LINE 320.00' SOUTH OF AND PARALLEL WITH THE NORTH LINE OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SAID SECTION 19, A DISTANCE OF 156,00' TO A POINT, SAID POINT BEING 100,00' EAST OF THE EAST LINE OF A TRACT OF LAND DESCRIBED IN WARRANTY DEED, BOOK 121, PAGE 227. RECORDS OF SAUNDERS COUNTY; THENCE S02°16'35"E, ON A LINE 100.00' EAST OF AND PARALLEL WITH THE EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 998.83' TO A POINT ON THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 19; THENCE S02°16'35"E, ON A LINE 100,00' EAST OF AND PARALLEL WITH AN EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 1,500.00' TO A POINT; THENCE S87°43'25"W, A DISTANCE OF 100,00' TO A POINT OF INTERSECTION WITH AN EAST LINE OF SAID WARRANTY DEED; THENCE S02°16'35"E, ON AN EAST LINE OF SAID WARRANTY DEED, A DISTANCE OF 286.72' TO THE POINT OF BEGINNING.

TOGETHER WITH:

PHASE 1, PARCEL 2

A TRACT OF LAND COMPOSED OF A PORTION OF THE NORTHEAST QUARTER OF SECTION 25, TOWNSHIP 13 NORTH, RANGE 9 EAST OF THE 6TH P.M., SAUNDERS COUNTY, NEBRASKA, AND MORE PARTICULARLY DESCRIBED AS POLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF THE SOUTHWEST QUARTER OF SECTION 30, TOWNSHIP 13 NORTH, RANGE 10 EAST OF THE 6TH P.M.; THENCE EASTERLY ON THE SOUTH LINE OF SAID SOUTHWEST QUARTER ON AN ASSUMED BEARING OF N86°51'32"E, A DISTANCE OF 688,90 TO A POINT; THENCE NO3"08'28"W, A DISTANCE OF 3,487.74' TO A POINT; THENCE S87°38'19'W, A DISTANCE OF 944.76' TO THE TRUE POINT OF BEGINNING; THENCE S50"59"01"W, A DISTANCE OF 50.00' TO A POINT: THENCE N39°00'59'W, A DISTANCE OF 519.80' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 14°01'39", A RADIUS OF 1,180.00', AN ARC LENGTH OF 288,90', A CHORD LENGTH OF 288.18', A TANGENT LENGTH OF 145.17', AND A CHORD BEARING OF N32°00'09'W, TO A POINT; THENCE N24°59'20"W, A DISTANCE OF 243:65' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 02°10'18", A RADIUS OF 2,580.00", AN ARC LENGTH OF 97.78', A CHORD LENGTH OF 97.78', A TANGENT LENGTH OF 48.90', AND A CHORD BEARING OF N23°54'11"W, TO A POINT; THENCE N22°49'02"W, A DISTANCE OF 219.79' TO A POINT OF CURVATURE FOR A CURVE IN A CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 17°47'57", A RADIUS OF 1,230.00', AN ARC LENGTH OF 382.11', A CHORD LENGTH OF 380.57', A TANGENT LENGTH OF 192.61', AND A CHORD BEARING OF N13°55'03"W, TO A POINT, THENCE NO5°01'05"W, A DISTANCE OF 223,79' TO A POINT OF INTERSECTION WITH THE SOUTH RIGHT-OF-WAY LINE OF COUNTY ROAD "B"; THENCE N87°42'26"E, ON A SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 50.06' TO A POINT; THENCE S05°01'05"E, A DISTANCE OF 221.41' TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 17°47'57", A RADIUS OF 1,180,00', AN ARC LENGTH OF 366.57', A CHORD LENGTH OF 365.10', A TANGENT LENGTH OF 184.78', AND A CHORD BEARING OF \$13°55'03"E, TO A POINT, THENCE S22°49'02"E, A DISTANCE OF 219.79' TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 02°10'18", A RADIUS OF 2,530.00', AN ARC LENGTH OF 95.89', A CHORD LENGTH OF 95.88', A TANGENT LENGTH OF 47.95', AND A CHORD BEARING OF \$23°54'11"E, TO A POINT; THENCE \$24°59'20"E, A DISTANCE OF 243.65' TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 14"01'39", A RADIUS OF 1,130.00', AN ARC LENGTH OF 276.66', A CHORD LENGTH OF 275.97', A TANGENT LENGTH OF 139.02', AND A CHORD BEARING OF \$32°00'09"E, TO A POINT; THENCE \$39°00'59"E, A DISTANCE OF 519.80' TO THE POINT OF BEGINNING.

TOGETHER WITH:

PHASE 1, PARCEL 3

A TRACT OF LAND COMPOSED OF A PORTION OF THE EAST HALF OF SECTION 13, TOWNSHIP 19 NORTH, RANGE 9 EAST OF THE 6TH P.M., SAUNDERS COUNTY, NEBRASKA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 13, TOWNSHIP 19 NORTH, RANGE 9 EAST OF THE 6TH P.M., THENCE EASTERLY ON THE NORTH LINE OF SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 13, ON AN ASSUMED BEARING OF N87°21'42"E, A DISTANCE OF 866.79' TO A POINT LOCATED 50,00' EAST OF THE EAST RIGHT-OF-WAY LINE OF THE BURLINGTON NORTHERN RAILROAD, SAID POINT BEING THE TRUE POINT OF BEGINNING; THENCE CONTINUING N87°21'42"E, ON SAID LINE, A DISTANCE OF 290.53' TO A POINT; THENCE S02"38'18"E, A DISTANCE OF 33:00' TO A POINT OF INTERSECTION WITH THE SOUTH RIGHT-OF-WAY LINE OF COUNTY ROAD "D": THENCE CONTINUING S02°38'18"E, A DISTANCE OF 117.09' TO A POINT; THENCE S21°00'46"W, A DISTANCE OF 214.06' TO A POINT: THENCE S01°34'07"E, A DISTANCE OF 190.85' TO A POINT; THENCE S27°54'31"W, A DISTANCE OF 60.73' TO A POINT: THENCE S28°45'03"E, A DISTANCE OF 87.17' TO A POINT; THENCE S04°09'50"E, A DISTANCE OF 107.64" TO A POINT; THENCE S28°08'11"W, A DISTANCE OF 67.82' TO A POINT; THENCE S26°48'33"E, A DISTANCE OF 77.99' TO A POINT; THENCE S06°14'39"E, A DISTANCE OF 134.20' TO A POINT; THENCE S28°17'23"E, A DISTANCE-OF 140.79' TO A POINT; THENCE S53°40'39"E, A DISTANCE OF 85.44' TO A POINT; THENCE S87°14'15"E, A DISTANCE OF 101.90' TO A POINT; THENCE \$25°22'28'W, A DISTANCE OF 91.75' TO A POINT; THENCE S15°35'21"E, A DISTANCE OF 80.94' TO A POINT: THENCE 915°47'53"E, A DISTANCE OF 77.35' TO A POINT; THENCE 924°16'02"E, A DISTANCE OF 82.72' TO A POINT; THENCE S08°11'44"E, A DISTANCE OF 67.36' TO A POINT; THENCE \$17°12'10"W, A DISTANCE OF 33,77" TO A POINT; THENCE S10°28'04"W, A DISTANCE OF 73.56' TO A POINT; THENCE S29°15'12"W, A DISTANCE OF 75:38' TO A POINT; THENCE \$39"25'45"W, A DISTANCE OF 44.85" TO A POINT; THENCE \$13°46'11"W, A DISTANCE OF 67.21' TO A POINT; THENCE S07°21'24"E, A DISTANCE OF 49.56' TO A POINT; THENCE S44°47'50"W, A DISTANCE OF 43.35 TO A POINT; THENCE S63°38'10'W, A DISTANCE OF 170.94' TO A POINT; THENCE \$58°18'18"W, A DISTANCE OF 96.48' TO A POINT; THENCE \$19°50'31"W, A DISTANCE OF 58.29' TO A POINT; THENCE \$07°24'43"E, A DISTANCE OF 67.47' TO A POINT; THENCE S21°19'55"E, A DISTANCE OF 59.31" TO A POINT; THENCE S07°39'29"E, A DISTANCE OF 50.53' TO A POINT; THENCE \$13°11'13"E, A DISTANCE OF 54.68' TO A POINT; THENCE \$21°51'54"E, A DISTANCE OF 125.93' TO A POINT: THENCE S33°42'54"E, A DISTANCE OF 49.10' TO A POINT: THENCE 804°50'29"W. A DISTANCE OF 25.75" TO A POINT; THENGE S26°16'52"E, A DISTANCE OF 84.98' TO A POINT; THENCE S60°59'43"W, A DISTANCE OF 99.36" TO A POINT; THENCE \$10"18'06"W, A DISTANCE OF 23.32" TO A POINT; THENCE \$19°16'01"E, A DISTANCE OF 109,25" TO A POINT: THENCE \$33°45'06"E, A DISTANCE OF 50.43' TO A POINT; THENCE \$07°51'25"W, A DISTANCE OF 54.14' TO A POINT; THENCE \$33°00'02"E, A DISTANCE OF 108.42' TO A POINT: THENCE \$21°17'34"E, A DISTANCE OF 93.69' TO A POINT:

THENCE \$32°45'49'W, A DISTANCE OF 78.42' TO A POINT; THENCE \$05°20'06"E, A DISTANCE OF 60.57" TO A POINT; THENCE S68°50'37"W, A DISTANCE OF 49.10' TO A POINT; THENCE \$15°09'51"W, A DISTANCE OF 130.65' TO A POINT; THENCE \$19°50'23"E, A DISTANCE OF 77.03' TO A POINT; THENCE \$32°20'29"W, A DISTANCE OF 40.44' TO A POINT; THENCE S66°53'10"W, A DISTANCE OF 57,91' TO A POINT; THENCE S06'25'56"W, A DISTANCE OF 93.09' TO A POINT OF INTERSECTION WITH A LINE LOCATED 50.00' EAST OF THE CENTER LINE OF THE LOCATED RAILS OF AN EXISTING RAILROAD SPUR; THENCE NO2°57'05'W, ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A DISTANCE OF 1,661.96' TO A POINT OF INTERSECTION WITH THE SOUTH LINE OF A TRACT OF LAND DESCRIBED IN WARRANTY DEED, BOOK 393, PAGE 489, GENERAL INSTRUMENT NO. 149, RECORDS OF SAUNDERS COUNTY; THENCE N87°11'10"E, ON THE SOUTH LINE OF SAID TRACT, A DISTANCE OF 285.74 TO THE SOUTHEAST CORNER OF SAID TRACT, SAID POINT BEING A POINT OF CURVATURE FOR A NON-TANGENT CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 26'01'20", A RADIUS OF 1,200.00', AN ARC LENGTH OF 545.01' ON THE EAST LINE OF SAID TRACT, A CHORD LENGTH OF 540.34', A TANGENT LENGTH OF 277.29', AND A CHORD BEARING OF N0047'01'W TO THE NORTHEAST CORNER OF SAID TRACT; THENCE S87°11'10'W, ON THE NORTH LINE OF SAID TRACT, A DISTANCE OF 306.18' TO A POINT OF INTERSECTION WITH A LINE LOCATED 50.00' EAST OF THE CENTER LINE OF THE LOCATED RAILS OF AN EXISTING RAILROAD SPUR; THENCE NO2°57'05"W, ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A DISTANCE OF 968:20' TO A POINT OF CURVATURE FOR A CURVE IN A COUNTER CLOCKWISE DIRECTION HAVING A CENTRAL ANGLE OF 07°04'10", A RADIUS OF 1,050.00', AN ARC LENGTH OF 129.56' ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A CHORD LENGTH OF 129,47', A TANGENT LENGTH OF 64.86', AND A CHORD BEARING OF N06°29'10"W, TO A POINT; THENCE N10°01'15'W, ON A LINE 50.00' EAST OF AND PARALLEL WITH THE CENTER LINE OF THE LOCATED RAILS, A DISTANCE OF 133.46' TO A POINT TO OF INTERSECTION WITH A LINE LOCATED 50,00' EAST OF THE EAST RIGHT-OF-WAY LINE OF THE BURLINGTON NORTHERN RAILROAD; THENCE NO2°58'46"W, ON A LINE 50.00' EAST OF AND PARALLEL WITH THE EAST LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 82,03' TO A POINT OF INTERSECTION WITH THE SOUTH RIGHT-OF-WAY LINE OF COUNTY ROAD "D"; THENCE CONTINUING NO2°58'46"W ON SAID LINE, A DISTANCE OF 33.00' TO THE POINT OF BEGINNING.